FltPlan.com go

FltPlan Go User's Guide

Blank Page

FltPlan Account

Airports

Maps

NavLogs

External

Checklists

Binders

Weather

Flight Tracking

Tools

Scratch Pad

Downloads

Settings

Index

This manual reflects the operation of the current FltPlan System, including FltPlan Go. Some differences in operation may be observed when comparing the information in this manual to earlier or later versions.

.

Garmin International, Inc., 1200 East 151st Street, Olathe, Kansas 66062, U.S.A.

Garmin AT, Inc., 2345 Turner Road SE, Salem, OR 97302, U.S.A.

Garmin (Europe) Ltd., Liberty House, Hounsdown Business Park, Southampton, Hampshire SO40 9LR U.K.

Garmin Corporation, No. 68, Zhangshu 2nd Road, Xizhi District, New Taipei City, Taiwan

Web Site Address: flygarmin.com

Rev	Date	Description
A	March, 2022	Production Release.

FLTPLAN ACCOUNT

- **Register FltPlan.com Account 3**
- **Request Permission to File Flight Plans 3**
- **Pre-Flight Device 4**
- **FltPlan Go Sign-In 4**
- **Pre-Flight Device 4**
- **FltPlan Go Sign-In 4**
- **Home Menu 6**
  - Home Menu Icons 6

AIRPORTS

- **Header Menu 8**
  - History 8
  - Favorites 9
  - View on Map 9
  - Share/Save File 10
  - Search Airports 11
  - Runway Wind Calculator 12
  - Airports Near Me 14
  - Add To Binders 15
  - Airport Diagram 16
  - FBOs 22
  - Information 23
  - Frequencies 24
  - Runways 25
  - Procedures 26
  - Weather 27
  - MOS 28
  - NOTAMs 29
  - Fuel 30
  - Remarks 31
  - View In Browser 31

MAPS

- **Header Menu 33**
  - Airports Near Me 33
  - Map Options 34
  - Split Screen 40
  - Zoom 41
  - Connectivity 41
  - My Routes 42
  - Annotations 43
  - Distance Measuring Tool 44
  - Timer 45
  - Account 45
  - Layers 45
  - Route 51
  - Edit 53
  - METARs 66
  - MOS 67
  - Winds 69
  - SIGMETs 72
  - Weather 74
  - XM (Optional) 76
  - ADS-B 76
  - Head-Up Display (HUD) 77
  - Auto Center 78

NAVLOGS

- NavLog Options 80
- Split Screen Options 81
- Share/Save File 86
- My NavLogs/WX 86
- NavLog Viewing Format 87
- NavLog Information 88
- Auto Syncing NavLogs 95

EXTERNAL

- Internal Devices 97
- External Devices 97
- Simulators 98
- Preferred Devices 99

CHECKLISTS

- **Checklist for Aircraft 100**
  - Checking Off Items 100
  - Skipping Items 100
  - Text to Speech 101
  - Reset List 101
  - Creating Checklist on FltPlan.com 102

BINDERS

- **Edit Binders 110**
- **My Binders 111**
  - Edit My Binders 112
  - Documents 112
  - My First Binder 113
  - Add to Binder 114
  - Share/Save 115
  - Uploading Files to FltPlan Go 115

WEATHER

- **Refresh Data 117**
- **My Airports / Routes 117**

FLIGHT TRACKING

- **Refresh Data 119**
- **My Aircraft 119**
- **Flight Tracking Map 120**
  - Switching Aircraft 120
  - Map Options 120

TOOLS

Tools

eLogbook......125
Pre-Departure Clearance (PDC) Service......130
Cloud Tops......131
Weight & Balance......131
Contacts......134
Calculators......134
Numeric......134
Fahrenheit/Celcius Temperature Conversion......134
ISA Temperature Conversion......135
Density Altitude......136
Fuel Conversion......137
Equal Time Point......139
Runway Winds......140
Airport Winds......141

SCRATCH PAD

My Doodles......144

DOWNLOADS

Update All......146
Failed Downloads......146
Delete......147
Maps......148
Procedures......151
Documents......153
A/FD......154
Miscellaneous......155

SETTINGS

Tutorial......157
Support......157
Current User......157
Allow Sleep Mode......157
Brightness......157
Super Dim......157
Allow GPS in Background......157
Minimum Runway Length (ft)......157
Show Notification Alert......158
Messages From FltPlan.com......158
App Version......158
Refresh Databases......158
Lock Screen......158
Clear Cache......158
Turn Off Map Layers......158
Unregister From Notifications......158

INDEX

Index......Index-1

FLTPLAN ACCOUNT

The FltPlan Go app is a companion to the FltPlan website. If you are not a registered user for FltPlan, please complete the following steps prior to using the FltPlan Go app:

REGISTER FLTPLAN.COM ACCOUNT

To create your free account, go to www.FltPlan.com and click the **Create Account** link at the top of the FltPlan Welcome page. Create your username and password on the **New Registration** page.

***NOTE:** Usernames and passwords must be between 8 and 64 characters, contain one uppercase, one lowercase, and one special character.*

***NOTE:** You must complete your username and password and accept the FltPlan disclaimer before you can advance to the registration form.*

Enter all pertinent information on the registration form in order to file IFR and VFR flight plans. You must enter your name in one of the PIC name slots. You can enter up to ten different PIC names and ten different aircraft registration numbers. Performance data is supplied for a variety of aircraft types. You can use the generic performance data provided for your aircraft, or customize it to match the way you fly. For more information on entering and editing performance data for your aircraft, refer to the FltPlan.com User Tutorial.

Once you complete the registration form, you will arrive at the **Main Menu** page. FltPlan allows you to create and store IFR flight plans up to 180 days in advance.

***NOTE:** Flight plans can only be created, stored, and filed if you have entered all of the pertinent info on the Pilot/User Info page and have entered at least one aircraft into your account*

***NOTE:** FltPlan can be used by anyone to file an IFR or VFR flight plan, but you must be a pilot with a current airmen certificate and aviation medical.*

REQUEST PERMISSION TO FILE FLIGHT PLANS

The following steps must be completed prior to creating and filing flight plans:

Check the accuracy of your PIC/User Info:

1) From the FltPlan.com Main Page, select **Main Menu** > **Settings** > **User/Pilot Info.**
2) Enter First & Last Name, Complete Address, Aircraft Home Base, Phone Number, and Email.
3) Check the box that says "I give FltPlan.com authorization to file flight plans on my behalf."
4) Once the authorization request is received and processed, FltPlan will send instructions via email regarding account activation.

***NOTE:** FltPlan.com will NOT file your flight plans if the required informatoin is incomplete, or the authorization box is not checked..*

***NOTE:** For Corporate email account users, please make sure that all FltPlan email addresses, Info@FltPlan2.com, Info@FltPlan.com, and FltPlan.Support@garmin.com, are white listed to ensure these emails are not identified as SPAM.*

Watch Help Videos:

1) How to Create a Flight Plan.
2) Additional videos are available on the Video Support Page.

PRE-FLIGHT DEVICE

Make the most of what FltPlan Go has to offer, and download/update the following information from FltPlan before departure:

- NavLogs
- Charts & Maps
- Airport & FBO Information
- Trip-related Documents
- Create/Edit Checklists
- Update/Calculate Weight & Balance Information

FLTPLAN GO SIGN-IN

Now that a FltPlan.com account has been established and verified, the next step is to download the FltPlan Go app from the appropriate app store supported by the device being used for flight. With the FltPlan Go app running, sign into your FltPlan.com account:

Signing Into FltPlan.com on FltPlan Go app:

1) Within the FltPlan Go app, select the **FltPlan.com** icon on the lefthand menu.

2) Tap the **Sign In** button in the top right corner.

3) Enter User Name and Password > **Sign In**.

Or: If you do not already have a FltPlan.com account, tap the **Create Your Account** button to register via the instructions listed earlier in this document.



Active Flight Plan List 12 Active Flts Max:100

			Local Time					Quick			Display NavLog								
Date	Dep	Arr	Dep	Arr	ETE	Call Sign	PIC	Change	Modify	Color	B/W	Mini	N/W	OC	File	Messages	FBO Brief	FRAT	EDCT
-------	KBJC	KOJC	----	----	1:23	N2345B T	Joe Pilot	QC	○	○	○	○	○	○	Exp.	-			
-------	KDEN	KBOI	----	----	2:12	N2345B T	Joe Pilot	QC	○	○	○	○	○	○	Exp.	-			
-------	KDEN	KPHX	----	----	1:52	N2345B T	Joe Pilot	QC	○	○	○	○	○	○	Exp.	-			
-------	KDEN	KPHX	----	----	1:44	N2345B T	Joe Pilot	QC	○	○	○	○	○	○	Exp.	-			
-------	KFCM	KIXD	----	----	1:00	DCI1234 T	Joe Pilot	QC	○	○	○	○	○	○	Exp.	-			
-------	KFCM	KIXD	----	----	1:13	N2345B T	Joe Pilot	QC	○	○	○	○	○	○	Exp.	-			
-------	KFCM	KIXD	----	----	1:25	N2345B T	Joe Pilot	QC	○	○	○	○	○	○	Exp.	-			
-------	KFCM	KIXD	----	----	1:19	N2345B T	Joe Pilot	QC	○	○	○	○	○	○	Exp.	-			
-------	KLAL	MYNN	----	----	1:02	N2345B T	Joe Pilot	QC	○	○	○	○	○	○	Exp.	-			
-------	KPHX	KDEN	----	----	1:36	N2345B T	Joe Pilot	QC	○	○	○	○	○	○	Exp.	-			
-------	KRNO	KBJC	----	----	1:59	N2345B T	Joe Pilot	QC	○	○	○	○	○	○	Exp.	-			
-------	KTUS	KBJC	----	----	1:41	N2345B T	Joe Pilot	QC	○	○	○	○	○	○	Exp.	-			

Flight Schedule

☐ Display City Names ☐ Display SOB ☐ Display Pilots
☐ Display Future Flight Time & Cycles Information
○ 1 Week ○ 2 Weeks ○ 3 Weeks ● 4 Weeks ○ 5 Weeks ○ 6 Weeks
○ 7 Weeks ○ 3 Months ○ 4 Months ○ 5 Months ○ 6 Months ○ 1 Year

Create/Update a Web Page with your Schedule
○ 2 weeks ○ 4 weeks ○ 7 weeks ○ 3 Months ○ 4 Months ○ 5 Months ○ 6 Months ○ 1 Year

Calendar Title:

Future Flight Time and Cycles Information* Total Future Flt Time = 0 Total Future Cycles = 0

AIRCRAFT
Aircraft
Flight Time (Cycles)

PILOTS
Pilot
Flight Time (Cycles)

* as of this morning

FltPlan Go - FltPlan.com Page

HOME MENU

The Home Menu, positioned along the left-hand side of the screen, is the primary means of accessing many of the features of FltPlan Go. The Home Menu provides quick access to the various pages within

HOME MENU ICONS

FltPlan.com	FltPlan.com	Displays FltPlan.com information for flight plans after linking and syncing your FltPlan.com credentials.
Airports	Airports	Displays the Airport Information Page, which includes basic airport info, frequencies, runways, procedures, weather, NOTAM's, FBO's, fuel prices/fees, FAA remarks, & Nav Aids.
Maps	Maps	Displays the aircraft on a georeferenced map with various overlays and layers of information.
NavLogs	NavLogs	Displays NavLog Options, Split Screen Options, Share/Save Options, Connectivity, My NavLogs/WX, and different NavLog format options, i.e. Web or PDF.
External	External	Displays the External Devices Page, which allows the wireless sharing of data between devices via Bluetooth®, or, if properly equipped, Wi-Fi.
Checklist	Checklist	Displays the Checklist Page where specific aircraft electronic checklists can be viewed to ensure proper flight procedures.
Binders	Binders	Displays flight specific binders with customized information related to many items, including documents, procedures, airports, NavLogs, and weather.
Weather	Weather	Displays the Weather Imagery Page, providing various meteorological data for both real-time and forecast weather events.
Tracking	Tracking	Displays the available aircraft ID's the active User set-up for flight tracking.
Tools	Tools	Displays two groups of icons, Tools & Calculators. Tools listed include eLogbook, PDC Service, Cloud Tops, Weight & Balance, Contacts. Calculators listed include Numeric, Celcius to Fahrenheit, Temperature, Density Altitude, Conversions, Equal Time, Winds, and Airport Winds.
ScratchPad	Scratch Pad	Displays the Scratch Pad Page, which allows the pilot to quickly draw or write down information on the device screen.
Downloads	Downloads	Displays the Downloads Page, where the User can download and update various charts for offline use. Available charts include Maps, Procedures, Documents, A/FD and Miscellaneous.
Settings	Settings	Displays the Settings Page, where the User can adjust how the device interacts with the FltPlan Go program, such as Tutorial, Support, Current User, Allow Sleep Mode, Screen Brightness, Super Dim, Allow GPS in Background, Minimum Runway Length (ft), Show Notification Alert, Messages From FltPlan, Privacy Policy, App Version, Refresh Database, Lock Screen, Clear Cache, Turn Off Map Layers, and Unregister From Notifications.

Home Menu Icons

AIRPORTS

Selecting the Airports icon from the Home Menu will display various details related to the desired airport, which include FBO's, Airport Information, Frequencies, Runways, Procedures, Weather, Model Output Statistics (MOS), NOTAMs, Fuel Services/ Information, Remarks (Traffic Pattern, After Hours Phone Number(s), etc.).



KLWC: LAWRENCE MUNI
LAWRENCE, KS
N39°00.7' W095°13.0'

Runway.............5700'
Fuel.................JET/AVGAS
Elevation...........833
Clearance..........121.82
ASOS/AWOS......121.22
Variation............-4.0
CTAF.................123.0
AOE...................No

HETRICK AIR SERV
Ph: 785-842-0000
Fax: 785-749-3348
Freq: 123.00
1930 AIRPORT RD LAWRENCE, KANSAS 66044

Fuel

Service	Jet	100LL	SAF	MoGas
Full				
Self				

Click "View in Web Browser" for most recent prices

FltPlan Go - Airports Page - FBOs

HEADER MENU

The Header Menu is customized for each section (i.e. Airports, Maps, NavLogs, etc.) and contains various buttons to help the User navigate the FltPlan Go program quickly. In the Airports section, the available buttons include History, Favorites, View on Map, Share and/or Save Airports, Runway Wind Calculator, Airports Near Current Location, Add and/or View Binder(s), Airport Diagram, Airports Near Current Selection, and the Airport/Facility Directory (A/FD).



KLWC: LAWRENCE MUNI
LAWRENCE, KS
N39°00.7' W095°13.0'

FltPlan Go - Airports Page - Header Menu

HISTORY

Viewing Airport History:

1) Touch within the Airports section to display a drop-down menu listing the recent airports searched/used.
2) Select the desired airport to view information.



KLWC
KMKC
KIXD
KOJC

FltPlan Go - Airports Page - History Menu

Deleting Airport History:

1) Touch within the Airports section to display a drop-down menu listing the recent airports searched/used.
2) Swipe Left on the desired airport > **Delete**.

***NOTE:** The History drop-down menu holds a maximum of 15 airports. When adding more than 15 airports to the list, the old airport(s) will be deleted to allow room for the new airport(s).*

FAVORITES

Viewing Favorite Airports:

1) Touch ★ within the Airports section to display a drop-down menu listing User defined favorites.
2) Select the desired airport.

Adding Favorite Airport:

1) Touch ★ within the Airports section to display a drop-down menu listing User defined favorites.
2) Touch '**+**' to add the current airport to Favorites.



Touch to View Favorite Airport(s)

Touch to Add Current Airport to Favorites

Touch to Select

FltPlan Go - Airports Page - Favorites Menu

VIEW ON MAP

Touch 📍 within the Airports section to view the airport on the Map.

***NOTE:** Online Maps are available for preflight planning when properly connected to Wi-Fi. To ensure the desired Maps will be available during flight, please download Maps to the device prior to departure.*

SHARE/SAVE FILE

Touch within the Airports section to display a drop-down menu listing available sharing and/or storage options (i.e. AirDrop, Chrome, Drive, etc.).

Touch **Edit Actions** to adjust file saving settings.

***NOTE:** If the AirDrop option is selected, the program will scan for discoverable devices within 25 feet.*



FltPlan Go - Airports Page - Share/Save Menu

Touch **Save to Files** to display a menu listing available locations for the file/item, (i.e. iCloud, On My iPad, etc.).



"outbox.fltplango" will be saved to iCloud Drive.

FltPlan Go - Airports Page - Share/Save - Save Files Menu

SEARCH AIRPORTS

The next button located in the center of the Header Menu is Search Airports, where the current four letter airport identifier will be displayed (KXXX). Touch KLWC to display a drop-down menu with a search bar that sorts the data into three main groups, United States (U.S.), Canada, and Other. The U.S. group lists the airports in alphabetical order by State (i.e. Alabama, California, Delaware, Washington, etc.). The Canada group lists the airports in alphabetical order by Province (i.e. Alberta, Ontario, Quebec, Yukon, etc.). The Other group lists the airports in alphabetical order by Country (i.e. Bahamas, Guatemala, Mexico, Venezuela, etc.). Touch within the Seach Bar to manually enter text for an airport I.D. (i.e. TJIG, CYQA, KTEB), then select the desired airport to view the corresponding airport information.

Touch to Enter Text

Touch to Search Airports

Touch to View Airports

Touch to Select Group



FltPlan Go - Airports Page - Search Airports - U.S.

RUNWAY WIND CALCULATOR

The next button located in the Header Menu of the Airports Page is the Runway Wind Calculator. Touch **Wind Calc.** to display the Runway Wind Calculator page, where the appropriate runway, ref speed, target speed, and wind data can be entered and calculated. To set specific User Preferences related to Tailwind Caution, Tailwind Limit, X-Wind Caution, X-Wind Limit, Target Speed, Steady State Wind calculation, and Headwind calculation. Once the Preferences are set, the Wind Calculator will display the applicable annunciators when/if these limitations are exceeded.

On the top of the page, the Headwind (Knots) and X-Wind (Knots) component will auto-fill as data is entered/adjusted. If wind gusts are entered, the Headwind and X-Wind numbers will 'flash' between the steady/constant wind component and the wind gust component. On the runway picture below the calculator, a blue arrow depicts the direction of the wind in relation to the selected runway and will change as data is entered/adjusted.

Entering/Adjusting Wind Calculator Preferences:

1) Touch **Wind Calc.** within the Airports section > **Prefs.**
2) Touch the desired text box and enter wind velocity (knots) and Target Speed preferences/limitations.
3) Touch **Steady State Wind** or **Head Wind Comp** to enter calculation(s).
4) Touch '-' or '+' to adjust percentage calculation(s) for Steady State Wind or Head Wind Comp, as desired.
5) Touch anywhere outside the Preferences dialogue box to exit, or touch the **Prefs** button to close.



Tailwind caution 0
Tailwind limit 10
XWind caution 10
XWind limit 15

Target Speed
Min + 5
Max + 20

Add % of SS/HW Comp.
50%

FltPlan Go - Airports Page - Runway Wind Calculator - Preferences Menu

Entering/Adjusting Wind Information:

1) Touch Wind Calc. within the Airports section.
2) Select the Desired Runway.
3) Adjust the Slider to the desired number for **Wind From** (Radial Measure in Degrees, i.e. 090 = From the East, 180 = From the South, etc.). Touch '-' or '+' to make small adjustments.
4) Adjust the Slider to the desired number for **Wind Speed** (Knots). Touch '-' or '+' to make small adjustments.
5) If necessary, adjust the Slider to the desired number for **Wind Gusts** (Knots). Touch '-' or '+' to make small adjustments.
6) If necessary, touch within the '**Ref Speed**' box to enter the desired number (Knots). Touch '-' or '+' to make small adjustments. The **Target Speed** will autocalculate as data is entered/adjusted.
7) Touch **Back** to exit and return to the previous page.



Runway Number 33 For Airport: KLWC

Wind From - 300 +

Wind Speed (knots) - 15 +

Gusting to (Knots) - 20 +
Adjust wind speed to turn off gusting winds.

Ref Speed: - 80 +

Target Speed: 85 kts

FltPlan Go - Airports Page - Runway Wind Calculator.

AIRPORTS NEAR ME

The next button located in the Header Menu of the Airports Page is Airports Near Me. Touch to view a drop-down menu of airports near the current location of the device, listed from nearest to furthest. Touch the desired airport from the list to view the applicable airport information.

***NOTE:** Location Services must be enabled on the device in order to accurately display Airports Near Me. Most devices list Location Services under Settings > Privacy.*

Viewing Airports Near Me:

1) Touch within the Airports section.
2) Touch desired airport from the list to view additional Airport Information.



Airports Near Me

KOJC, JOHNSON COUNTY EXE...
OLATHE, KS (RWY:4097 ft), Dist. 2 NM

KIXD, NEW CENTURY AIRCENTER
OLATHE, KS (RWY:7339 ft), Dist. 9 NM

K51K, CEDAR AIR PARK
OLATHE, KS (RWY:2440 ft), Dist. 9 NM

KK34, GARDNER MUNI
GARDNER, KS (RWY:3224 ft), Dist. 12 NM

69KS, CHILES AIRPARK (PRIVAT...
CHILES, KS (RWY:2600 ft), Dist. 12 NM

75MO, CHILDRENS MERCY HOS...
KANSAS CITY, MO (RWY:0 ft), Dist. 14 NM

3MO1, POLICE DEPT HELIPORT...
KANSAS CITY, MO (RWY:0 ft), Dist. 15 NM

KMKC, CHARLES B. WHEELER D...
KANSAS CITY, MO (RWY:6827 ft), Dist. 16 NM

KLXT, LEE'S SUMMIT MUNI
LEE'S SUMMIT, MO (RWY:5501 ft), Dist. 17 NM

0MO3, VEACH FIELD AIRPORT
FREEMAN, MO (RWY:2225 ft), Dist. 17 NM

FltPlan Go - Airports Page - Airports Near Me

ADD TO BINDERS

The last button located in the Header Menu of the Airports Page is Add to Binders. Touch to view a drop-down menu of Binders. Touch the '+' in the upper right corner to add the current airport to a Binder, which can be found quickly by pressing the Binders icon on the Main Menu. Touch the Edit button to delete and/or change the order of available binders.

Adding Airport to Binder:

1) Touch within the Airports section.
2) Touch the desired binder location where the current airport information will be saved.

Creating New Binder:

1) Touch within the Airports section > '+'.
2) Enter the Binder name in the text box > **OK** to save or **Cancel** to close without saving.



FltPlan Go - Airports Page - Binders Menu

Editing Binders:

1) Touch ▮ within the Airports section > **Edit.**
2) Touch ⊖ to Delete the binder(s).
3) Touch ≡ to move/organize binder(s).
4) Touch **Done** to exit Edit mode.



Done
Add to Binders
+
Documents
⊖ My First Binder ≡
⊖ KLWC - 01/04/22 11:15 ≡
⊖ KMKC - 01/06/22 12:15 ≡
⊖ KMKC - 01/06/22 12:17 ≡
⊖ KMKC - 01/10/22 10:51 ≡

Touch to View Binders Menu

Touch to Exit

Touch to Move/Organize

Touch to Delete

FltPlan Go - Airports Page - Binders Menu - Edit

AIRPORT DIAGRAM

In the Airports section, directly below the top line of the Header Menu, the next group of buttons listed allow the User quick access to important information. One of the buttons is Airport Diagram, which will display a full-screen airport diagram if there is an FAA approved chart.

Touch the **Airports Diagram** button within the Airports section to view.



KLWC: LAWRENCE MUNI
LAWRENCE, KS
N39°00.7' W095°13.0'

Runway..............5700'
Fuel....................JET/AVGAS
Elevation...........833
Clearance...........121.82
ASOS/AWOS......121.22
Variation.............-4.0
CTAF...................123.0
AOE....................No

Touch to View Info

Quick View of Airport Info

FltPlan Go - Airports Page - Frequencies & Info



FltPlan Go - Airports Page - Airport Diagram - Main

When the Airport Diagram page is displayed, there will be a customized Banner Menu with quick access buttons that allow the User to quickly navigate the FltPlan Go program.


Touch to Return to Airports Page
Touch to Display GPS Track
Touch to View FBO Locations
Annotate
Print
Rotate
Back
Enable Ship
Breadcrumbs
Time Stamp
FBO
Touch to Show Aircraft on Chart
Touch to Create Time Stamp
Timer
Lock Screen
Email

FltPlan Go - Airports Page - Airport Diagram - Banner Menu

ENABLE SHIP

Touch the **Enable Ship** button to view your aircraft on the Chart.

NOTE: *A GPS signal is required to view Aircraft position on the Chart.*

BREADCRUMBS

Touch the **Breadcrumbs** button to display a green line that represents the actual GPS route taken by the aircraft.

TIMESTAMP

Touch the **Time Stamp** button to display the options Menu, adjust as desired, then longpress on the Airport Diagram to display the Time Stamp in Local (L) or Zulu (Z) format.



FltPlan Go - Airports Page - Airport Diagram - Time Stamp

FBO

Touch the **FBO** button to display the location of the FBO(s) on the Airport Diagram, then select the desired FBO to view additional information.

Touch to View FBO(s) Location



Touch to View FBO Info

FltPlan Go - Airports Page - Airport Diagram - FBO

TIMER

Touch ⏱ to view the Timer. Touch **Start** to begin the Timer, **Stop** when desired, and then **Reset** to begin from zero. Touch the 'X' to close the Timer.



Touch to Close

Touch to Toggle Start/Stop

Touch to Reset

FltPlan Go - Airports Page - Airport Diagram - Timer

ANNOTATE

Touch to view the Annotate options. Touch **Clear** to remove all annotations. Touch **Undo** to remove the most recent annotation. Touch **Fine** (the most recent penstroke selection) to adjust the size of the penstroke, i.e. Large, Medium, Small, Fine, or Precise. Touch **Color** to select the color of the penstroke, i.e. Black, Red, Blue, Green, or Yellow. Touch **Done** to exit the Annotate process.

Touch to Clear All *Touch to Undo* *Touch to Adjust Penstroke*



Touch to Exit

FltPlan Go - Airports Page - Airport Diagram - Annotate

LOCK SCREEN

Touch 🔒 to lock the screen orientation on the device. When the screen orientation is locked, the padlock icon will change to red.

Touch 🔒 to unlock the screen orientation. The ability to Zoom In/Out and Annotate are not available when the screen orientation is locked.

PRINT

Touch 🖨 to Print and/or view Printer Options. Touch **Select Printer** to view previous and/or available AirPrint options. Once a Printer has been selected, adjust the number of copies by touching '-' or '+' as desired, then touch **Print**. Touch **Cancel** to exit.



FltPlan Go - Airports Page - Airport Diagram - Print

ROTATE IMAGE

Touch ↷ to rotate the image 90° clockwise.

FBOS

Located on the left side of the Airports section is a list of tabs that sort features/information associated with the selected airport. The first one on the list is FBOs. Touch the **FBO** Tab to view all available FBOs. Touch ∨ to expand the additional information section, where the User can view the Services and About sections related to the specific FBO. The Services section lists various ammenities provided, such as car services, fuel prices, contact info, etc. The About section lists various details about the FBO, such as mailing address, pilot/fuel rewards, etc. Touch ∧ to collapse the additional information section.



KIXD: NEW CENTURY AIRCENTER
OLATHE, KS
N38°49.9' W094°53.4'

Runway	7339'	Ground	124.3	Fuel	JET/AVGAS
ASOS/AWOS	135.32	Tower	133.0	AOE	No
Elevation	1087	Variation	-4.0		

ADVANCED AVIATION
Ph: 913-768-1500
Fax: 913-768-1528
Freq: 122.95
5 AERO PLAZA NEW CENTURY, KS 66031

SIGNATURE
Ph: 913-782-9003
Fax: 913-782-1555
Freq: 129.00
280 GARDNER DRIVE, NEW CENTURY, KANSAS 66031

NEW CENTURY AIR
Ph: 913-768-9400
Fax: 913-829-1342
Freq: 122.95
2 AERO PLAZA NEW CENTURY, KS 66031

QUICKTURN CENTRAL
Ph: 913-768-1500
Fax: 913-768-1528
Freq: 122.95
5 AERO PLAZA NEW CENTURY, KS 66031

Touch to View

Touch to View

Touch to Expand / Collapse Info

FltPlan Go - Airports Page - FBOs

INFORMATION

Located on the left side of the Airports section is a list of tabs that sort features/information associated with the selected airport. The second one on the list is Information. Touch the **Information** Tab to view whether or not the airport is an Airport of Entry (AOE), Airport Eleveation (also known as Field Elevation, Runway Elevation, Aerodrome Elevation, Airport Height), Fuel (Jet and/or AVGAS), Latitude and Longtitude coordinates, Time Zone, and Magnetic Variation.



Touch to View

Touch to View

KLWC: LAWRENCE MUNI
LAWRENCE, KS
N39°00.7' W095°13.0'

Runway.............5700'
Fuel....................JET/AVGAS
Elevation...........833
Clearance..........121.82
ASOS/AWOS......121.22
Variation.............-4.0
CTAF..................123.0
AOE...................No

AOE	No
Elevation	833
Fuel	JET/AVGAS
Latitude	39.01
Longitude	-95.22
Time zone	Central Time -6:00 (-5:00)
Variation	-4.0

FltPlan Go - Airports Page - Information

FREQUENCIES

Located on the left side of the Airports section is a list of tabs that sort features/information associated with the selected airport. The third one on the list is Frequencies. Touch the **Frequencies** Tab to view all available frequencies, such as Clearance, ATIS, ASOS/AWOS, Ground, Tower, and CTAF.



Touch to View

Touch to View

KLWC: LAWRENCE MUNI
LAWRENCE, KS
N39°00.7' W095°13.0'

Runway	5700'	Clearance	121.82	CTAF	123.0
Fuel	JET/AVGAS	ASOS/AWOS	121.22	AOE	No
Elevation	833	Variation	-4.0		

Clearance	121.82
CTAF	123.0
ASOS/AWOS	121.22

FltPlan Go - Airports Page - Frequencies

RUNWAYS

Located on the left side of the Airports section is a list of tabs that sort features/information associated with the selected airport. The fourth one on the list is Runways. Touch the **Runways** Tab to view the runway I.D., length, and width, i.e. 15/33 is 5700' (length) x 100' (width).



KLWC: LAWRENCE MUNI
LAWRENCE, KS
N39°00.7' W095°13.0'

Runway..............5700'
Fuel....................JET/AVGAS
Elevation...........833
Clearance...........121.82
ASOS/AWOS......121.22
Variation.............-4.0
CTAF..................123.0
AOE...................No

Runways

01/19	3901 x 75
15/33	5700 x 100

FltPlan Go - Airports Page - Runways

PROCEDURES

Located on the left side of the Airports section is a list of tabs that sort features/information associated with the selected airport. The fifth one on the list is Procedures. Touch the **Procedures** Tab to view filtered information in three categories, Airport, Approaches, and Departures. Touch the desired procedure to view, then **Back** to return.

Airport lists information such as Airport Diagram, Hot Spot(s), Takeoff Minimums, Diverse Vector Area, Alternate Minimums, etc. Approaches lists all precision and non-precision approaches and Standard Arrival Procedures (STARs). Departures lists all available Standard Instrument Departures (SIDs). If a document is geo-referenced, a purple arrow will be displayed. If a document is downloaded, a green check mark will be displayed. Touch ∨ next to the desired procedure to expand and **View on Map** or **Add to Binder.**



KLWC: LAWRENCE MUNI
LAWRENCE, KS
N39°00.7' W095°13.0'

Runway.............5700'
Fuel....................JET/AVGAS
Elevation............833
Clearance...........121.82
ASOS/AWOS......121.22
Variation.............-4.0
CTAF....................123.0
AOE......................No

Airport
AIRPORT DIAGRAM
APD
TAKEOFF MINIMUMS
MIN
ALTERNATE MINIMUMS
MIN

Approaches
ILS OR LOC RWY 33
IAP
RNAV (GPS) RWY 15
IAP
RNAV (GPS) RWY 33
IAP
VOR/DME-A
IAP

Arrivals

Departures

Touch to View

Touch to View

Touch to View Info in Browser via FltPlan.com

Touch to Expand

Touch to Add to Binder

Touch to View

FltPlan Go - Airports Page - Procedures

WEATHER

Located on the left side of the Airports section is a list of tabs that sort features/information associated with the selected airport. The sixth one on the list is Weather. Touch the **Weather** Tab to view METARs, Terminal Forecasts, PIREPs, and Special (SPECI). To Refresh weather information, tap and drag down on the desired weather report. A timestamp will appear on the top of the screen indicating the timelapse since the most recent refresh.

***NOTE:** A connection to Wi-Fi or ADS-B unit must be established to ensure current weather information.*



KLWC: LAWRENCE MUNI
LAWRENCE, KS
N39°00.7' W095°13.0'

Runway 5700'
Fuel JET/AVGAS
Elevation 833
Clearance 121.82
ASOS/AWOS 121.22
Variation -4.0
CTAF 123.0
AOE No

Downloaded 0 minutes ago
(Pull to refresh)

METAR REPORTS

KLWC 041852Z AUTO 23017G25KT 10SM CLR 08/M04 A2966 RMK AO1 PK WND 21030/1840 SLP048 T00831044

KLWC 041752Z AUTO 18014G23KT 10SM CLR 07/M05 A2966 RMK AO1 PK WND 16027/1733 SLP049 T00671050 10067 20000 58052

KLWC 041652Z AUTO 17017G25KT 10SM CLR 05/M05 A2973 RMK AO1 SLP073 T00501050

TERMINAL FORECASTS

FORECAST FOR KLWC NOT FOUND

USING FORECAST FOR KIXD

KIXD 041720Z 0418/0518 19017G28KT P6SM BKN250

FM042300 24013G24KT P6SM SCT250

FM050400 30015G25KT P6SM SCT250

FM051300 30015KT P6SM SCT150

PIREPS

***** PIREPS FOR KLWC *****

BQS UA /OV BQS/TM 1825/FL370/TP A319/TB LGT/RM ZKC FDC/KI

BUM UA /OV BUM/TM 1626/FL340/TP B767/TB MOD/RM ZKCFDC/OH

BUM UA /OV BUM/TM 1748/FL320/TP A321N/TB LGT/RM ZKC FDC/KI

BUM UA /OV BUM280030/TM 1813/FL290/TP B737/TB LGT-MOD 270-290/RM ZKC FDC/KI

BUM UA /OV BUM360020/TM 1850/FLDURC/TP B737/TB LGT-MOD 250-300/RM ZKC FDC/KI

BUM UA /OV BUM360020/TM 1850/FLDURGC/TP B737/TB LGT-MOD 250-300/RM ZKC FDC/KI

FltPlan Go - Airports Page - Weather

MOS

Located on the left side of the Airports section is a list of tabs that sort features/information associated with the selected airport. The seventh one on the list is MOS. Touch the **MOS** Tab to view outlook weather forecasts which include details such as Ceilings (ft), Visibility (miles), Wind (compass direction and velocity in knots), Chance of Precipitation, and Temperature (°F). MOS forecasts provide weather data up to four days out, presented in 3-hour windows, and refreshed hourly. To manually refresh the weather, touch the **Refresh** button. After the weather has been refreshed, a timestamp will be displayed.



KLWC: LAWRENCE MUNI
LAWRENCE, KS
N39°00.7' W095°13.0'

Runway.............5700'
Fuel....................JET/AVGAS
Elevation............833
Clearance..........121.82
ASOS/AWOS......121.22
Variation.............-4.0
CTAF...................123.0
AOE......................No

MOS 01/04/2022 01:25:25

Tue 01/04/2022 12:00Z
Ceil: 🟢 Vis: 🟢 Wind: 🔵 Temp: 🔵
Clouds: CLR > 12000 ft Vis: > 6 mi **Wind:** 16012kt **Temp:** 31° --- See METARs/TAF ---

Tue 01/04/2022 15:00Z
Ceil: 🟢 Vis: 🟢 Wind: 🔵 Temp: 🔵
Clouds: CLR > 12000 ft Vis: > 6 mi **Wind:** 16010kt **Temp:** 32° --- See METARs/TAF ---

Tue 01/04/2022 18:00Z
Ceil: 🟢 Vis: 🟢 Wind: 🔵 Temp: 🟢
Clouds: CLR > 12000 ft Vis: > 6 mi **Wind:** 19015kt **Temp:** 43°

Tue 01/04/2022 21:00Z
Ceil: 🟢 Vis: 🟢 Wind: 🔵 Temp: 🟢
Clouds: CLR > 12000 ft Vis: > 6 mi **Wind:** 22015kt **Temp:** 50°

Wed 01/05/2022 00:00Z
Ceil: 🟢 Vis: 🟢 Wind: 🔵 Temp: 🟢
Clouds: CLR > 12000 ft Vis: > 6 mi **Wind:** 24011kt **Temp:** 40°

Wed 01/05/2022 03:00Z
Ceil: 🟢 Vis: 🟢 Wind: 🔵 Temp: 🟢
Clouds: CLR > 12000 ft Vis: > 6 mi **Wind:** 30014kt **Temp:** 36°

Touch to View

MOS Data Timestamp

Touch to Refresh Weather Data

Touch to View

Touch to View Info in Browser via FltPlan.com

FltPlan Go - Airports Page - MOS

NOTAMS

Located on the left side of the Airports section is a list of tabs that sort features/information associated with the selected airport. The eighth one on the list is NOTAMs. Touch the **NOTAMs** Tab to view NOTAMs, FDC, and General. To Refresh NOTAMs information, tap and drag down on the desired NOTAMs report. A timestamp will appear on the top of the screen indicating the timelapse since the most recent refresh.

***NOTE:** A connection to Wi-Fi or ADS-B unit must be established to ensure current NOTAMs information.*



KLWC: LAWRENCE MUNI
LAWRENCE, KS
N39°00.7' W095°13.0'

Runway..............5700'
Fuel....................JET/AVGAS
Elevation...........833
Clearance..........121.82
ASOS/AWOS......121.22
Variation............-4.0
CTAF..................123.0
AOE....................No

Downloaded 1 minute ago
(Pull to refresh)

NOTAMs

KLWC 12/005 LWC OBST TOWER LGT (ASR 1063795) 390505.10N0950501.10W (7.6NM NE LWC) 1182.1FT (203.1FT AGL) U/S 2112142006-2201132006

KLWC 12/014 LWC OBST TOWER LGT (ASN 2004-ACE-2257-OE) 385623N0950502W (7.5NM SE LWC) 1081FT (189FT AGL) U/S 2112231313-2203232359

KLWC 01/013 LWC OBST TOWER LGT (ASR 1029385) 390015.00N0951616.00W (2.6NM W LWC) 1230.0FT (301.8FT AGL) U/S 2201031700-2203032359

KLWC 01/014 LWC RWY 01 FICON(Field Condition report) 3/3/3 60 PCT 1/4IN WET SN OBS AT 2201032330. 2201040051-2201050051

KLWC 01/015 LWC RWY 19 FICON(Field Condition report) 3/3/3 60 PCT 1/4IN WET SN OBS AT 2201032330. 2201040054-2201050054

FltPlan Go - Airports Page - NOTAMs

FUEL

Located on the left side of the Airports section is a list of tabs that sort features/information associated with the selected airport. The ninth one on the list is Fuel. Touch the **Fuel** Tab to view available fuel options and prices at the selected airport. Touch the desired fuel type to view the FBO who can provide the appropriate fuel, along with the most recently listed price per gallon. To Refresh fuel price information, tap and drag down on the desired fuel type. A timestamp will appear on the top of the screen indicating the timelapse since the most recent refresh.



KMKC: CHARLES B. WHEELER DOWNTOWN
KANSAS CITY, MO
N39°07.4' W094°35.6'

Runway..............6827'
Fuel....................JET/AVGAS
Departure ATIS...120.75
Elevation............757
Clearance...........121.9
Ground...............121.9
ASOS/AWOS......120.75
Variation.............-1.0
Arrival ATIS.........120.75
Tower.................133.3
AOE....................Yes

Downloaded 2 minutes ago (pull to refresh)

ATLANTIC	6.63
SIGNATURE	6.65

Touch to View

Touch to View Info

Data Refresh Info

Touch to View

FltPlan Go - Airports Page - Fuel

REMARKS

Located on the left side of the Airports section is a list of tabs that sort features/information associated with the selected airport. The tenth and final one on the list is Remarks. Touch the **Remarks** Tab to view a list of FAA remarks, i.e. Traffic Pattern (Left or Right), After Hours Contact Info, Customs Data, Migratory Bird Activity, Engineered Matertials Arresting System (EMAS) Info, Approach Lighting, etc.



Touch to View

Touch to View

KLWC: LAWRENCE MUNI
LAWRENCE, KS
N39°00.7' W095°13.0'

Runway.............5700'
Fuel....................JET/AVGAS
Elevation...........833
Clearance..........121.82
ASOS/AWOS......121.22
Variation............-4.0
CTAF..................123.0
AOE....................No

Remarks

Traffic Pattern: 01 - Left Traffic / 19 - Left Traffic

AFT HRS APRT MGR CTC - 785-813-5765

AFT HRS FUEL CTC - 785-865-6500.

ACTVT MALSR RWY 33; REIL RWY 01, 15, & 19; PAPI RWY 01, 19, 15 & 33; MIRL RWY 01/19 & 15/33 - CTAF.

FltPlan Go - Airports Page - Remarks

VIEW IN BROWSER

Throughout the FltPlan Go program, there will be the option to view the information in a web browser. Touching the **View in Web Browser** button will display a window confirming the desire to exit FltPlan Go and view the information via FltPlan.com.

Touch **No** to stay within the FltPlan Go program.

Touch **Yes** to exit FltPlan Go and launch FltPlan.com in a web browser.



Leaving the app

Clicking 'Yes' will result in leaving the app and going to your Safari web browser.

Touch to Stay in FltPlan Go

Touch to View Info in Web Browser

FltPlan Go - Airports Page - View In Browser Confirmation

MAPS

Selecting the Maps page allows the user to view the aircraft on a georeferenced map with various overlays and layers of information.



FltPlan Go - Maps Page

HEADER MENU

The Header Menu is customized for each section (i.e. Airports, Maps, NavLogs, etc.) and contains various buttons to help the User navigate the FltPlan Go program quickly. In the Maps section, the available buttons include Airports Near Me, Map Settings/Options, Split Screen, Zoom, Connectivity/Share, Route, Annotate, Distance Measuring Tool, Timer, Account, Layers, Route, Edit, METARs, MOS, Winds, SIGMETs, Weather, XM, and ADS-B.



FltPlan Go - Maps Page - Header Menu

AIRPORTS NEAR ME

The first button located in the Header Menu of the Maps Page is Airports Near Me. Touch 📍 to view a drop-down menu of airports near the current location of the device, listed from nearest to furthest. Touch the desired airport from the list to view the applicable airport information.

***NOTE:** Location Services must be enabled on the device in order to accurately display Airports Near Me. Most devices list Location Services under Settings > Privacy.*

Viewing Airports Near Me:

1) Touch 📍 within the Maps section.

2) Toggle the **'Show on Map'** button to display the airport ID, as desired.

3) Touch the desired airport from the list > **Go to Airport** and view Airport Information.

Or: Touch desired airport from the list > **Direct To** and create a route directly to the airport.

Or: Touch **Cancel** to exit.

Touch to View

Touch to Toggle On/Off



Nearby Me

Show on Map

KOJC, JOHNSON COUNTY EXE...
OLATHE, KS (RWY:4097 ft), Dist. 2 NM

KIXD, NEW CENTURY AIRCENTER
OLATHE, KS (RWY:7339 ft), Dist. 9 NM

K51K, CEDAR AIR PARK
OLATHE, KS (RWY:2440 ft), Dist. 9 NM

KK34, GARDNER MUNI
GARDNER, KS (RWY:3224 ft), Dist. 12 NM

69KS, CHILES AIRPARK (PRIVAT...
CHILES, KS (RWY:2600 ft), Dist. 12 NM

75MO, CHILDRENS MERCY HOS...
KANSAS CITY, MO (RWY:0 ft), Dist. 14 NM

3MO1, POLICE DEPT HELIPORT...
KANSAS CITY, MO (RWY:0 ft), Dist. 15 NM

KMKC, CHARLES B. WHEELER D...
KANSAS CITY, MO (RWY:6827 ft), Dist. 16 NM

Touch to View Airport Info or Create Direct To Route

Airport ID Displayed on Map

FltPlan Go - Maps Page - Airports Near Me - Show On Map

MAP OPTIONS

Touch ⚙ to view a drop-down menu with several tabs that can be viewed by scrolling up/down. The options include VFR-Activate/Close, Track Up, North Up, Track Forward, Enable Ship Position, Label Route Fixes, Downloaded Maps Only, Show Drawing, Enable Search and Rescue, Course Deviation Indicator, Toggle Breadcrumbs, Save Breadcrumbs, Clear Current Breadcrumbs, Breadcrumbs List, Custom Waypoint Files, Custom Map Layers, Go to Departure Airport, Go to Arrival Airport, Customize Route & Icon, and Runway/Airport Options.



FltPlan Go - Maps Page - Options

VFR - Activate/Close

Touch the '**VFR - Activate/Close**' button to activate or close a Visual Flight Rules (VFR) or Instrument Flight Rules (IFR) flight plan via FltPlan.com.

NOTE: *An Internet connection is needed to use this feature.*

TRACK FORWARD

Touch to display only the area in front of the aircraft position, moving the aircraft to the 'bottom' of the Map.

TRACK UP

Touch to point the Map in the direction of flight.

NORTH UP

Touch to change the Map orientation where North is always 'Up', no matter the direction of flight.

ENABLE SHIP POSITION

Touch to display an aircraft icon on the map representing the current position.

ENABLE RANGE CIRCLES

Touch to display range circles that center around the aircraft position at a defined distance, which can be helpful when visualizing distance and/or time out from a certin point.

LABEL ROUTE FIXES

Touch to display all route fixes and lables.

DOWNLOADED MAPS ONLY

Toiuch to view maps that have been previously downloaded and are not being supplied via an active internet connection.

*NOTE: Use **Downloaded Maps Only** after the applicable charts are downloaded via the Downloads section to ensure Maps will be displayed when the device is no longer connected to the internet. .*

SHOW DRAWING

Touch to display any annotations/drawings.

ENABLE SEARCH AND RESCUE

Touch to display the Search and Rescue (SAR) Grid button.

COURSE DEVIATION INDICATOR

Touch to display the CDI at the bottom of the Map. CDI uses the current GPS position to determine your deviation (in nautical miles) from your route of flight. Touch and hold on the aircraft icon in the center of the CDI to adjust the scale to 1nm, 2nm, or 4nm.

BREADCRUMBS PLAYBACK

Touch to view a flight path overlayed on the Map, which can be replayed at different speeds.

TOGGLE BREADCRUMBS

Touch to enable the flight path tracking option for future playback and review. When enabled, a green checkmark will be displayed. Touch to toggle On/Off as desired.

SAVE BREADCRUMBS

Touch to display a pop-up window prompting the User to manually enter the name of the current breadcrumbs. Once the name has been entered, touch **Save**.

CLEAR CURRENT BREADCRUMBS

Touch to clear the current breadcrumbs displayed on the Map.

BREADCRUMBS LIST

Touch to view Saved Breadcrumbs and Online Breadcrumbs.

- Touch **Saved Breadcrumbs** to view a pop-up window with the options to **Open, Email, Rename, Upload to FltPlan.com,** and **Delete**.
- Touch **Open Breadcrumbs** to view the track on the Map, along with a pop-up window in the top right corner with playback options.
- Touch **Breadcrumbs Playback** to view a pop-up window with several options, including **Play, Pause**, and **Stop**. **Flight Duration** is presented in hours, minutes, and seconds. **Speed Option(s)**, and **Flight Percentage** are displayed via progress bar. Touch **Play** and the breadcrumbs from your flight will populate the map. Touch **Pause** to pause the playback and keep the breadcrumbs on the Map. Touch **Stop** to exit breadcrumbs playback.
- Slide the **Speed Bar**, which has two icons indicating an increased playback rate (rabbit) or a slower playback rate (turtle)as desirec.
- The **Flight Percentage Bar** is located on the right side, and indicates the percentage of the flight that has been completed.
- Touch **Online Breadcrumbs** to display a pop-up window with the options to Delete or Download. Touch **Delete** to remove breadcrumbs. Touch **Download** to download a set of breadcrumbs and store offline.
- Touch **Google Earth** and a prompt will appear with the options to email and create a KML file of the selected breadcrumbs. Touch the downloaded KML file to view via Google Earth.
- Touch **Email Breadcrumbs** to display a pop-up window with a User generated list of saved breadcrumbs as the body of the email. Enter desried text to compose the email and send. The recipient will be able to open the breadcrumbs from the email via FltPlan Go.
- Touch **Upload to FltPlan.com** to save your breadcrumbs to FltPlan.com, allowing the User to access the breadcrumbs from both FltPlan.com and the FltPlan Go program.

CUSTOM WAYPOINT FILES

Touch to display a list of waypoints imported into FltPlan Go. Touch the file to display the waypoints on the Map.

CUSTOM MAP LAYERS

Touch to display a list of map layers that were imported into FltPlan Go. Touch on the file to display the overlay on the Map. Touch **Custom Layer Options** to remove or adjust the opacity of the custom map overlay,

***NOTE:** To Upload Custom Map Layers in MBTILE format, connect the device to a computer and open iTunes. In iTunes, click on the device icon and select File Sharing. Click on FltPlan Go and drag the MBTILE into the FltPlan Go Documents folder to upload.*

GO TO DEPARTURE AIRPORT

Touch to redirect the Airports section to the Departure Airport listed in the route.

GO TO ARRIVAL AIRPORT

Touch to redirect the Airports section to the Arrival Airport listed in the route.

CUSTOMIZE ROUTE & ICON

Touch **Customize Route & Icon** to display a menu with options to edit the Aircraft Icon, Route Color and Opacity, and GPS Position.

- Touch **Jet, Prop,** or **Helicopter** to adjust the Aircraft Icon shape.
- Touch **Small, Medium**, or **Large** to adjust the Aircraft Icon size.
- Touch the desired Aircraft Icon color. Aircraft Icon adjustments are made in real time to help the User identify the preferred display settings.
- Below the Aircraft Icon settings are the Route settings. Touch the desired Route color.
- Slide the **Route Line Capacity** switch to the desired level.
- Touch **Aircraft Center** or **Nose** for the GPS Position.
- Touch **Use Stationary Icon** to change the Aircraft Icon to a circle when the aircraft is stationary.



FltPlan Go - Maps Page - Aircraft Icon Options

RUNWAY/AIRPORT OPTIONS

Touch to display a menu with settings for **Show Runways on Map**, **Runway Color**, **Runway Icons**, **Standard Icons**, and **Airport Color**.

- Touch **Show Runways on Map** as desired, to adjust display on Map.
- Touch the desired Runway Color.
- Touch **Runway Icons** or **Standard Icons**, as desired. Standard Icons displays a 'ring' to depict the location of an airport. If Runway Icons is selected, the display includes the runway orientation within the depiction of the airport location, which can be enabled by touching **Maps > Layers > Airports.**

NOTE: *An additional download may be required if 'Runway Icons' is selected..*



FltPlan Go - Maps Page - Runway & Airport Options

SPLIT SCREEN

Touch ⇔ to display a drop-down menu with various Split Screen options that can be displayed simultaneously, such as; Airports, Flight Instruments (AHRS), Departure Airport Procedures, Arrival Airport Procedures, NavLogs, Howgozit, Checklsit, Weather, ScratchPad, and Tools. Touch the desired display option to view one of the Split Screen Options in conjuction with with Maps or NavLogs simultanesously, in either vertical or horizontal orientation.

Touch to View Split Screen Options



Touch to View

Label Route Fixes Enabled

Touch to View

Data Refresh Info

Downloaded 2 minutes ago
(Pull to refresh)

NOTAMs

KMIA 1/4135 MIA SID MIAMI INTL, MIAMI, FL. MIAMI EIGHT DEPARTURE ... FIVEN TRANSITION NA. 2108120901-2308121346

KMIA 1/5493 MIA SID MIAMI INTL, MIAMI, FL. MHITO ONE DEPARTURE ... DISREGARD NOTE: MAXIM AND CANOA TRANSITIONS ATC ASSIGNED EXCEPT AIRCRAFT DEPARTING: MIA, FLL, OPF. 2108120901-2203232020

KMIA 1/5861 MIA SID MIAMI INTL, MIAMI, FL. MIAMI EIGHT ... MIAMI EIGHT DEPARTURE FREEPORT TRANSITION NA. 2108120500-2208120332

KMIA 1/6238 MIA SID MIAMI INTL, MIAMI, FL. MIAMI EIGHT DEPARTURE ... TAKEOFF MINIMUMS: RWY 9, STANDARD WITH MINIMUM CLIMB OF 493FT PER NM TO 1400 (12-085482). RWY 8L, STANDARD WITH MINIMUM CLIMB OF 382FT PER NM TO 1400 (12-002209/12-085482). RWY 8R, STANDARD WITH MINIMUM CLIMB OF 326FT PER NM TO 1400 (12-085482). TAKEOFF OBSTACLE NOTES: RWY 27: TEMPORARY CRANES BEGINNING 2279FT FROM DER, 594FT LEFT OF CENTERLINE, 90FT AGL/95FT MSL (2020-SO-27282/29974/29975/29995/30000-OE) ALL OTHER DATA REMAINS AS PUBLISHED. 08121208-2203241208

MIA 09/196 MIA COM GRAND BAHAMA REMOTE COM OUTLET 126.9 U/S 2109121843-2209122359

KMIA 10/152 MIA OBST CRANE (ASN 2021-ASO-28879-OE) 254906N0802008W (2.8NM WNW MIA) 294FT (285FT AGL) FLAGGED 2110151000-2209301600

KMIA 11/024 MIA OBST TOWER LGT (ASR 1315590) 254742.20N0802416.40W (6.19NM W MIA) 327FT (320FT AGL) U/S 2111021407-2202022359

FltPlan Go - Maps - Split Screen - NOTAMs

ZOOM

Touch **Zoom** to display a drop down menu with the following Zoom Options; Zoom to Ship, Zoom to Departure, Zoom to Arrival, Zoom to Entire Route, and Zoom to Breadcrumbs. Touch the desired Zoom option to view the area on the Map.

Touch to View Zoom Options



Touch to View

FltPlan Go - Maps Page - Zoom Options

CONNECTIVITY

Touch ⇅ to display a drop-down menu with options to Export Flight Plan and Share Flight Plan.

GARMIN PILOT

Touch the Garmin Pilot icon to transfer the route of flight to Garmin Pilot. When connected to a compatible Garmin avionics suite that supports flight plan transfers, the avionics will be displayed as an option to export the route of flight.

Touch to View Connectivity Options



Touch to Send to Garmin Pilot

Touch to Share

FltPlan Go - Maps Page - Connectivity Options

NOTE: *To aid in Flight Plan transfer, please ensure the desired external piece of equipment is connected via the External Page prior to attempting the flight plan transfer.*

JEPPESEN FLITEDECK

Touch to send the current route of flight to a properly configured and connected piece of Jeppesen equipment.

DYNON

Touch to send the current route of flight to a properly configured and connected piece of Dynon equipment.

AVIDYNE

Touch to send the current route of flight to a properly configured and connected piece of Avidyne equipment.

AIRDROP

Touch to send the current route of flight to a properly configured and connected Apple device.

EMAIL

Touch to send the current route of flight via email.

MY ROUTES

Touch the button at the top, center, with the Departure and Arrival airport ID's, i.e. KBJC to KPHX to display a drop-down menu listing Today's Routes, Future Routes, Past Routes, and Saved Routes.

To Delete a Saved Route, touch the desired route and swipe left > **Delete.**

AUTO SYNCING ROUTES

When a flight plan is created in FltPlan.com, the flight information, including NavLogs, Routes, Weight & Balance Calculations, and Checklists, are synced to the FltPlan Go program.



FltPlan Go - Maps Page - Routes



From	To	Dist	Course	Time To	Leg		Arrival
KMSP	SNINE	33nm	47˚M	------	395nm	962nm	------
SNINE	DWIYT	16nm	78˚M	------	402nm	567nm	------
DWIYT	WLSTN	55nm	80˚M	------	430nm	552nm	------
WLSTN	KP03Q	296nm	89˚M	------	621nm	497nm	------
KP03Q	APNEL	75nm	103˚M	------	678nm	201nm	------
APNEL	CYQA	126nm	108˚M	------	779nm	126nm	------

FltPlan Go - Maps Page - Route With Waypoints - Canada

ANNOTATIONS

Touch ✎ to view the Annotate options.

Touch **Clear** to remove all annotations.

Touch **Undo** to remove the most recent annotation.

Touch the 'circle' to adjust the **Point Tool**, to one of the following shapes; Circle, Cross, Diamond, Square, Triangle or 'X'.



FltPlan Go - Maps Page - Annotate Options

DISTANCE MEASURING TOOL

Touch 📏 to display the Meaure Tool window, then touch anywhere on the Map to drop the first 'pin'. Touch anywher on the Map to drop another 'pin' which will display the Total distance in the Measure Tool window. Multiple 'pin' can be created on the Map with the distance between the points listed in Nautical Miles (nm) on the Map.

Touch to View Distance Measuring Tool

Measure Tool Window

Touch to View

Distance Between Two Points



FltPlan Go - Maps - Distance Measuring Tool

TIMER

Touch to view the Timer.

Touch **Start** to begin the Timer, **Stop** when desired, and then **Reset** to begin from zero. Touch the 'X' to close the Timer.



FltPlan Go - Airports Page - Airport Diagram - Timer

ACCOUNT

Touch the button in the top right corner, i.e. GARMIN to Add Account or Logout.

LAYERS

Touch **Layers** to view the available base maps and overlay options, which include: North America, World, Satellite, Street, Topographic, Shaded Relief, Sectionals, Jet High, Victor Low, Terminal Area Charts (TACs), Helicopter, IFR Terminal, United Stated, Canada, Special Use Areas (SUAs), Temporary Flight Restrictions (TFRs), Stadiums, State Outline, Airports, Fuel Prices, and Civil Air Patrol (CAP) Grid. Scroll right within the Layers Menu to view additional options, i.e. Customs.

Touch **Options** to adjust the opacity for SUAs, TFRs, Stadiums, and State Outline.

NOTE: *When the Downloaded Maps Only options is toggled 'On', a pop-up window will appear stating the User cannot view Online Maps. At the bottom of the pop-up window, touch* ***Turn off Downloaded Maps Only*** *to view both downloaded and online maps. To turn Downloaded Maps Only back on, touch* ***Map Options > Maps > Downloaded Maps Only****.*



FltPlan Go - Maps - Layers Menu

CHOOSE BASE MAP

Touch any of the options listed in the Base Map section, which include: North America, World, Satellite, Street, Topographic, Shaded Relief, Sectionals, Jet High, Victor Low, TACs, Helicopter, IFR Terminal, United States, and Canada.

SPECIAL USE AREAS (SUAS)

***NOTE:** Special Use Areas (SUAs) are available only while online.*

Touch **SUAs** to display Special Use Areas on the Map, which will be outlined/highlighted in Red or Orange. When online, the SUAs will automatically update everytime the Layers tab is selected. Touch the SUA for additional information.Touch **Options** to adjust the opacity for SUAs, TFRs, Stadiums, and State Outline.

TEMPORARY FLIGHT RESTRICTIONS (TFRS)

Touch **TFRs** to display on the Map, which will be depicted by a Red circle. When online, the TFRs will automatically update everytime the Layers tab is selected. Touch the TFR for additional information. Touch **Options** to adjust the opacity for SUAs, TFRs, Stadiums, and State Outline.

STATE OUTLINE

NOTE:** The State Outline layer has to be downloaded prior to viewing via **Downloads** > **Maps** > **Layers.

Touch State Outline to display a red outline defining each state's border.

AIRPORTS

Touch **Airports** to display all airports on the Map. Touch an airport icon to display additional information, such as Latitude, Longitude, City, Fuel, Longest Runway Length (ft), Frequencies, View Runways, View Weather, View Airport, and View Procedures.

Touch to Close



KIXD

Latitude: 38.831667
Longitude: -94.890000
City: OLATHE
Fuel: JET/AVGAS

Runway.............7339'
Ground..............124.3
Fuel...................JET/AVGAS
ASOS/AWOS......135.32
Tower.................133.0

Touch to View Info

Touch to View in Airports Tab

Touch to View Info

FltPlan Go - Maps Page - Airport Info Quick View

FUEL PRICES

Touch **Fuel Prices** to display the price per gallon on the Map, then touch the desired octane, **AvGas** or **Jet Fuel**. A circle will be displayed with the airport ID, whether or not the fuel is Self Serve 'S', or Full Service 'F', and the price per gallon. Touch the circle to view additional information, i.e. Name of the FBO that provides the Fuel Service, Hours of Availability, After Hours Contact Info, Fuel Programs, etc.

Touch FUEL to refresh the data to ensure the latest fuel prices.



○ North America
○ World
○ Satellite
○ Street
○ Topographic
○ Shaded Relief

● Sectionals
○ Jet High
○ Victor Low
○ TACs
○ Helicopter
○ IFR Terminal

☑ United States
☐ Canada

☑ SUAs (Online Only)
☑ TFRs 16:51:54Z
☐ Stadiums
☐ State Outline
☑ Airports
☑ Fuel Prices w/in 400 mi
  ● AvGas
  ○ Jet Fuel
☐ CAP Search Grid

Touch to View

Touch to View

Touch to Display

Touch to Select Octane

Full Service Price Per Gallon

Self Service Price Per Gallon

Refresh Data

FltPlan Go - Maps - Fuel Prices - AvGasl

CIVIL AIR PATROL (CAP) SEARCH GRID

NOTE: The CAP Search Grid layer has to be downloaded prior to viewing via ***Downloads*** *>* ***Maps*** *>* ***Layers.***

Touch **CAP Search Grid** to create a grid pattern, labeled and separated into quadrants, to aid in a Search and Rescue event.



FltPlan Go - Maps - Layers - CAP Search Grid

STADIUMS

Touch **Stadiums** to display Temporary Flight Restrictions (TFRs) related to a Stadium. Touch the Stadium icon to view additional information.

Touch to View

Touch to View

Stadium TFR Info

Touch to Display

Touch to View Info



○ North America
○ World
○ Satellite
○ Street
○ Topographic
○ Shaded Relief

● Sectionals
○ Jet High
○ Victor Low
○ TACs
○ Helicopter
○ IFR Terminal

✓ United States
☐ Canada

☐ SUAs (Online Only)
☐ TFRs 19:05:03Z
✓ Stadiums
☐ State Outline
✓ Airports
☐ Fuel Prices w/in 400 mi
● AvGas
○ Jet Fuel
☐ CAP Search Grid

University of Kansas Memorial Stadium
Lawrence, Kansas
N38°57.8' / W095°14.8'
Capacity: 50071
Type: Football
Teams / Events:
Kansas Jayhawks

FltPlan Go - Maps - Layers - Stadiums

CUSTOMS

Touch **Customs** to display United States and Canadian customs locations on the Map. Touch the flag icon to view additional information.



● Sectionals
○ Jet High
○ Victor Low
○ TACs
○ Helicopter
○ IFR Terminal

✓ United States
✓ Canada

✓ SUAs (Online Only)
✓ TFRs 19:35:03Z
✓ Stadiums
✓ State Outline
✓ Airports
✓ Fuel Prices w/in 400 mi
● AvGas
○ Jet Fuel
✓ CAP Search Grid

✓ Customs

CYQG Customs
WINDSOR, ON
Phone: 888-226-7277
Fax:
AOE/325 (450 with staged off-loading)
13-05Z

Touch to View

Touch to View

Touch to Display

Touch to View Info

FltPlan Go - Maps - Layers - Customs

ROUTE

Touch **Route** to display informatoin regarding the planned route of flight, which include: From, To, Distance (nm), Course, Time To (hhmm), Leg (nm), Arrival.

NOTE: *The Route feature provides information that is intended for in-flight use. Once airborne, the various data points, i.e. Time To, Arrival, etc., will be calculated and displayed in real-time.*



From	To	Dist	Course	Time To	Leg		Arrival
KLWC	STJ	59nm	9˚M	------	66nm	374nm	------
STJ	ROKKK	164nm	5˚M	------	227nm	308nm	------
ROKKK	FUZEE	16nm	28˚M	------	242nm	144nm	------
FUZEE	RRAZZ	30nm	28˚M	------	271nm	127nm	------
RRAZZ	KBEEE	13nm	4˚M	------	283nm	98nm	------
KBEEE	DEMLL	28nm	4˚M	------	311nm	85nm	------
DEMLL	NITZR	13nm	5˚M	------	325nm	57nm	------

Scroll to View Additional Waypoints

FltPlan Go - Maps Page - Route With Waypoints - U.S.

GRAPHICALLY EDIT ROUTE

Long press on the Route to activate the 'rubber band', which allows the User to manually edit the Route to include an Airport, Navaid, or Waypoint. Filter the Info by touching **All, Airports, Nav,** or **Waypoints**.

Touch the arrow to expland or collapse the options bar, then select **Direct To, Add to Route**, or **Info**, as desired.

Touch **Cancel** to exit without saving.



From	To	Dist	Course	Time To	Leg	Arrival
KMSP	SNINE	33nm	47˚M	------	395nm	962nm	------
SNINE	DWIYT	16nm	78˚M	------	402nm	568nm	------
DWIYT	WLSTN	55nm	80˚M	------	430nm	552nm	------
WLSTN	KP03Q	296nm	89˚M	------	621nm	498nm	------
KP03Q	APNEL	75nm	103˚M	------	678nm	202nm	------
APNEL	CPC2	112nm	106˚M	------	770nm	127nm	------
CPC2	CPC2	0nm	11˚M	------	770nm	14nm	------

Add to Route Cancel

Lat/Long
4515N/08012W
Distance to 751 nm

Custom

Airports
CNL7 LUMSDEN AIR PARK
CNK4 PARRY SOUND AREA MUNI
CPC2 PORT CARLING

Direct To | Add To Route | Info

CYEE HURONIA

All | Airports | Nav | Waypoints

Added to Route

Touch to Go Direct To

Touch to Close

Touch to Expand / Collapse

Touch to Add to Route

Touch to View Info

Touch to Filter Data

FltPlan Go - Maps Page - Manually Adjust Route

EDIT

Touch **Edit** to adjust flight plans that have been synced from the associated FltPlan.com account. Touch and hold a fix within the Edit box to display a pop-up window listing various options, such as: Show On Map, Direct To, Insert Before, Insert After, and Delete.

Touch and hold on a fix to drag the item to a different position along the Route.

Touch anywhere in the white area within the Edit drop down menu to display a keyboard, and manually enter a fix.



FltPlan Go - Maps Page - Edit - Remove Waypoint - Tokens Display

On the left side of the Edit drop down menu, there are buttons to help the User complete standard tasks quickly: Reverse, P/P, Save, and Save/File.



KMSP SNINE DWIYT WLSTN KP03Q APNEL CYQA

FltPlan Go - Maps Page - Edit - Text Display

REVERSE

Touch the **Reverse** button to keep all the same fixes, but reverse the route.

P/P

Touch the **P/P** button to load the Latitude and Longitue (Lat/Long) of the User's Present Position as a fix within the route

SAVE

Touch the **Save** button to save the route(s) locally to the FltPlan Go program.

SAVE/FILE

Touch the **Save/File** button to display a pop-up window with the following options: Web, which allows the User to create a flight plan on the Web via Fltplan.com, or App, which allows the User to file the flight plan via the FltPlan Go program.



Date:	02/01/2022
IFR or VFR:	IFR
Departure:	KMSP
Arrival:	CYQA
PIC / Captain:	ANDY
SIC / Co-Pilot:	No Co-Pilot
Aircraft:	N2345B
Call Sign (optional):	
Depart Time:	09:00
Souls on Board:	
Alternate:	
Suggested Altn:	

FltPlan Go - Maps - Edit - Save/File - App Options

TOKENS/TEXT

Touch the **Tokens** button to view the various fixes within the route as tokens, where the text is grouped together and color coordinated depending on the type of fix, i.e. Aiport ID's are cyan (blue), fixes are purple, etc.

Touch the **Text** button to view the various fixes within the route as text only.

DELETE A FIX

To quickly delete a fix, touch and hold the desired fix, then slide the fix out of the Edit drop down menu.

On the right side of the Edit drop menu, there are buttons to help the User complete standard tasks quickly: Waypoins, Procedures, and SR Grid.

WAYPOINTS

Touch the **Waypoints** button to view and/or add Custom Waypoints. Touch ⓘ to edit waypoint.

To create a Waypoint, touch the **Add** button to enter the Name, Description, and Location (Lat/Long), then touch **Save.**

Touch **Show User Waypoints** to view Waypoints on the Map.



Name: LBRWY36
Description: Good spot to start base turn.
Latitude: 38.868309
Longitude: -94.714429

Valid coordinate inputs:
41.12345 / -73.12345
41 25N / 073 58W
41 25.78N / 073 58.12W
41 25 45N / 073 58 57W

LBRWY36
Good spot to start b…
Swipe left to delete

FltPlan Go - Maps Page - Edit - Waypoints - Create & Delete

PROCEDURES

Touch the **Procedures** button to view available Stardard Instrument Departures (SIDs), Standard Arrival Routes (STARs) on the Map.

> ***NOTE:*** *Not all airports have approved government approved Procedures. If this is the case, a textual note will be displayed stating-such, i.e. 'No Sid/Stars Available For Airport'.*



Touch to View Options

Touch to Highlight Procedure

Touch to Add to Route

Touch to View

Current Route

Touch to View Available Procedures

FltPlan Go - Maps Page - Edit - Procedures - Arrivals

Adding a Procedure:

1) Touch ⚙ in the bottom right corner of the Map to view the Procedures Options menu listing Opacity, View Departures, View Arrivals, and View Approaches.
2) Touch **View Departures** to view a list of available SIDs for the Departure Airport.
3) Touch **View Arrivals** to view a list of available STARs for the Destination Airport.
4) Touch **View Approaches** to view a list of available Instrument Approaches for the Destination Airport.
5) Touch the **Add to Route** button to incorporate the procedure into the Route.
6) Touch the **Procedure** button to view the Procedure in Split Screen mode.



FltPlan Go - Maps Page - Procedures Options - Arrivals

7) Once a Procedure is loaded, touch Ⓟ in the bottom right corner of the Map to view a secondary Procedures Options menu, listing Opacity, View Airport, and View Procedures.



FltPlan Go - Maps Page - Procedures Options - View Procedures

8) Touch the desired fix along the SID/STAR, then press the **Procedure** button to view the chart in Split Screen mode.



NOTE: RADAR required.
NOTE: RNAV 1.
NOTE: DME/DME/IRU or GPS required.
NOTE: For turbojet aircraft only.
NOTE: Expect "descend via" clearance and runway transition assignment by Center. Approach will assign landing runway.
NOTE: Turbojet aircraft descend via Mach number until intercepting 280K. Maintain 280K until slowed by the STAR, or assigned by ATC.
NOTE: HELLO transition ATC assigned only.

HELLO TRANSITION (HELLO.BLUEM4)
KICKR TRANSITION (KICKR.BLUEM4)
LAZYY TRANSITION (LAZYY.BLUEM4)
MNOSO TRANSITION (MNOSO.BLUEM4)
OOPEE TRANSITION (OOPEE.BLUEM4)

Touch to Rotate Image 90°

Touch to View Info

Touch to View Procedure in Split Screen

FltPlan Go - Maps Page - Edit - Procedures - STAR - Split Screen



NOTE: DME/DME/IRU or GPS required.
NOTE: RNAV 1.
NOTE: Turbojets only.
NOTE: RADAR required.
NOTE: Accelerate to 250K or greater upon reaching 10000. If slower speed is required to meet crossing restrictions advise CLNC DEL prior to taxi.

TAKEOFF MINIMUMS
Rwys 10, 28: NA.
Rwy 17L: Standard with minimum climb of 255' per NM to 8000.
Rwy 17R: Standard with minimum climb of 370' per NM to 8000.
Rwys 35L/R: Standard.

(NARRATIVE ON FOLLOWING PAGE)

NOTE: Chart not to scale.

Touch to View Procedure via Split Screen

Touch to View All Procedure Options

Touch to View Procedure Options

Touch to Adjust / Share Chart

FltPlan Go - Maps Page - Procedures - Departures - Split Screen



Current Departure & Transition

Touch to Show All Departures on Map

Touch to Expand / Collapse

Touch to View Options

FltPlan Go - Maps Page - SID



Touch to View

Scroll to View Additional Procedures

Touch to Overlay Approach on Map

Touch to View Available Procedures

FltPlan Go - Maps Page - Edit - Approachess



Touch to View Options

Touch to Remove All Departures on Map

Slide to Adjust Opacity

Touch to Expand / Collapse

Touch to View Options

FltPlan Go - Maps Page - Edit - Procedures Options



Touch to View Options

FltPlan Go - Maps Page - Approach Overlay - ILS

SR GRID

Touch the SR Grid button to input the desired grid details, which include the Waypoint, Pattern (Parallel, Sector, Expanding Square, Creeping Line, Route, or Grid Aligned), Initial Degrees, Initial Turn, Leg Length (nm), Space Length, (nm), and Leg Count.

Touch **Add** to display the SR Grind on the map.

Touch **Cancel** to close without saving. Each leg of the SR Grid will be displayed in the 'Edit' window along with a Map overlay.

Touch **Clear** to remove the SR Grid.



Add to Route

Waypoint: KLWC

Pattern: Parallel

Initial Degrees: 360

Initial Turn: Left Right

Leg Length (nm): 5

Space Length (nm): 0.5

Leg Count: 10

Cancel
Add
Touch to Enter / Adjust Info
Touch to Close Without Saving
Touch to Save & View SAR Grid on Map

FltPlan Go - Maps Page - Edit - SR Grid Options



FltPlan Go - Maps Page - Edit - SAR Grid

IMPORTING KMZ, KML, CSV, CUSTOM WAYPOINTS

The FltPlan Go program allows the User to send various file types from a device. The first step is getting the file on the device to allow for an upload to FltPlan Go. One way to accomplish this task would be emailing the file to yourself, then opening the file from your device running FltPlan Go, then touch the emailed attachment to allow FltPlan Go to open the file automatically, or prompt the User with other program options that can open the file.

Another option would be to Airdrop the files onto the device running FltPlan Go.

***NOTE:** To import a CSV file, the formatting must follow the exact format template to be rendered transferable: WAYPOINT, LAT, LONG, DESCRIPTION.*

METARS

Touch the **METARs** tab to display a drop-down menu with settings for Ceiling, Visibility, Wind Speed, and Temperature. Slide the color coded circles (magenta, red, blue, or green) as desired to align with personal and/or equipment limitations. These circles will then be displayed based on the Map, allowing the User to view airport METARs across the country at a glance. Toggle the checkmark On/Off next to Show METARs Layer, Ceiling, Visibility, Wind Speed, and Temperature. The parameters of a route will be automatically tabulated with the default METARs data settings. After inputing and adjusting the parameters, the User can return to the default settings by touching the **Reset** button.

Touch the **Refresh** button to update the weather data.

Touch a METAR circle on the map to display information for the selected airport.



Touch to Toggle Display On/Off

Data Refresh Info

Slide to Adjust

Touch to Refresh

Touch to Reset

☑ Show METARs Layer

☑ Ceiling: 100s Ft

☑ Visibility: Miles

☑ Wind Speed: Knots

☑ Temperature: Celsius

Last Updated: 17:37:39Z - 2022-02-08

FltPlan Go - Maps Page - METARs Overlay

Touch the dot at an airport on the Map to view the METAR details via pop-up window displaying the Airport ID, i.e. KLWC, Ceiling, Visibility, Wind Speed, and Temperature. The color of the dot will be represented by the most severe of the selected weather conditions.

At the bottom of the pop-up window, there are two buttons, Procedures and Airport. Touch the **Procedures** button to view instrument procedures for selected airport. Touch the **Airports** button to open the Airports Tab for the selected airport.



KLWC LAWRENCE, KS

● Ceiling (ft) : Unlimited

● Visibility (sm) : 10

● Wind Speed (kt) : 13

● Temperature : 15°C / 59°F

KLWC 082052Z AUTO 30013KT
10SM CLR 15/M04 A2991 RMK
AO1 SLP131 T01501044 55008

Touch to Close

Touch to View Info

Touch to View Info

FltPlan Go - Maps Page - METARs - Individual Airport

MOS

Model Output Statistics (MOS) forecasts include important and practical details necessary for pre-flight planning. Potentially significant, location-specific factors such as terrain characteristics and weather anomalies, not accounted for in traditional forecasts, are factored into the MOS forecast. MOS forecasts provide weather data for up to 4 days out, presented in 3-hour windows, and refreshed hourly. FltPlan.com's MOS weather on FltPlan Go is unique, as the extra layer of information along the route of flight is easy to read quickly for more than 2,000 airports. Should the destination airport not have a MOS forecast, Flight Plan Go will provide information for the nearest MOS reporting airport.

Touch the **MOS** tab to display a drop-down menu with lists options for the MOS layer, which include Ceiling (ft), Wind Speed (knots), Visibility (miles), Temperature (°C), Date (Day of the Week, MM/DD/YYYY), and a Zulu Time (HH:MM).

Enabling MOS:

1) Toggle the checkmark On/Off next to **Show MOS Layer**, **Ceiling**, **Wind Speed**, **Visibility**, and **Temperature**.
2) Touch the desired **Date** and **Time**.
3) Touch the **Legend** button to view the parameters for color designation.
4) Touch the **Refresh** button to update the weather data.
5) Touch a MOS circle on the map to display information for the selected airport.



☑ Show MOS Layer
☑ Ceiling: 100s Ft
☑ Wind Speed: Knots
☑ Visibility: Miles
☑ Temperature: Celsius
Last Updated: 02/10/2022 08:26:03

Touch to Toggle Display On/Off

Data Refresh Info

Touch to Adjust

Touch to Refresh

Touch to View

FltPlan Go - Maps Page - MOS Overlay



MOS Legend

Ceiling (100s Feet)

LIFR 🟣 < 5 ≤ IFR 🔴 < 10 ≤ MVFR 🔵 < 30 ≤ VFR 🟢

Visibility (Miles)

LIFR 🟣 < 1 ≤ IFR 🔴 < 3 ≤ MVFR 🔵 < 5 ≤ VFR 🟢

Wind Speed (Knots)

Real Windy 🟣 > 30 ≥ Windy 🔴 > 20 ≥ Breezy 🔵 > 10 ≥ Light 🟢

Temperature (°C/°F)

Cold 🔵 ≤ 0/32 < Mild 🟢 < 30/86 ≤ Hot 🔴

KLWC

MOS 02/10/2022 08:26:03

Thu 02/10/2022 12:00Z

Ceil: 🟢 Vis: 🟢 Wind: 🟢 Temp: 🔵

Clouds: OVC 6500 - 12000 ft Vis: > 6 mi **Wind:** 33004kt **Temp:** 27° --- See METARs/TAF ---

Thu 02/10/2022 15:00Z

Ceil: 🟢 Vis: 🟢 Wind: 🟢 Temp: 🟢

Clouds: CLR > 12000 ft Vis: > 6 mi **Wind:** 32002kt **Temp:** 35° --- See METARs/TAF ---

Thu 02/10/2022 18:00Z

Ceil: 🟢 Vis: 🟢 Wind: 🟢 Temp: 🟢

Clouds: CLR > 12000 ft Vis: > 6 mi **Wind:** 25006kt **Temp:** 46°

Thu 02/10/2022 21:00Z

Ceil: 🟢 Vis: 🟢 Wind: 🔵 Temp: 🟢

Clouds: CLR > 12000 ft Vis: > 6 mi **Wind:** 23012kt **Temp:** 52°

FltPlan Go - Maps - MOS Legend & MOS Forecast Individual Airport

WINDS

***NOTE:** An internet connection must be established to view Wind information.*

Touch the **Winds** tab to display a drop-down menu listing the following overlay options; Wind Speed (knots) and Altitude (ft), United States / CONUS, Canada / Alaska, Northern Hemisphere. Winds can be displayed as either Color Coded Arrows or Wind Barbs.

Enabling Winds:

1) Toggle the checkmark On/Off next to **Wind Speed**.
2) Touch the altitude box and select desired altitude.
3) Toggle the checkmark next to **United States / CONUS** (Continental United States), **Canada / Alaska**, **Northern Hemisphere**.
4) Adjust the overlay display by selecting **Color Coded Arrows** or **Wind Barbs**.

Touch to Select Altitude

Touch to Toggle Display On/Off

Data Refresh Info

Touch to Toggle On/Off

Touch to Refresh



☑ Wind speed (kts) at 18,000
☑ United States / CONUS
☐ Canada / Alaska
☐ Northern Hemisphere

Display winds as
● Color coded arrows
○ Wind barbs

⬜	30 kts
🟨	40 kts
🟧	50 kts
🟨	60 kts
🟥	80 kts
🟥	100 kts
🟥	120 kts
🟪	150 kts

☐ Use Low / Slow Scale

Last Updated: 15:59:01Z - 2022-02-10

Winds

Altitude:	18,000
Direction:	348°
Wind Speed:	49 kts
ISA Temp	+2 C

FltPlan Go - Maps Page - Winds - Color Coded Arrows Overlay

When Color Coded Arrows are initially selected, the default wind velocity scale ranges from 30 knots to 150 knots. When Color Coded Arrows are selected, there will be an additional option to view the winds on a different scale entitled 'Use Low / Slow Scale', which adjusts the wind velocity scale range to 10 knots to 45 knots. Toggle the checkmark On/Off next to **Use Low / Slow Scale**, as desired.



Touch to Select Altitude

Touch to Toggle Display On/Off

Low / Slow Scale

Touch to Toggle On/Off

Data Refresh Info

Touch to Refresh

☑ Wind speed (kts) at 18,000
☑ United States / CONUS
☐ Canada / Alaska
☐ Northern Hemisphere

Display winds as
● Color coded arrows
○ Wind barbs

🟨	10 kts
🟨	15 kts
🟧	20 kts
🟨	25 kts
🟥	30 kts
🟥	35 kts
🟥	40 kts
🟪	45 kts

☑ Use Low / Slow Scale

Last Updated: 15:59:01Z - 2022-02-10

Winds
Altitude: 18,000
Direction: 290°
Wind Speed: 17 kts
ISA Temp -15 C

FltPlan Go - Maps Page - Winds - Color Coded Arrows Overlay - Low & Slow

FltPlan Account
Airports
Maps
NavLogs
External
Checklists
Binders
Weather
Flight Tracking
Tools
Scratch Pad
Downloads
Settings
Index

Touch the wind indicator (arrow or barb) on the Map to view specific information detailing the Altitude (ft), Direction (radial degrees), Wind speed (knots) and Temperature (°C).

Touch the **Refresh** button to update the weather data.



Touch to Select Altitude

Touch to Toggle Display On/Off

Wind Velociy in Knots

Touch to Refresh

Data Refresh Info

☑ Wind speed (kts) at 18,000

☑ United States / CONUS

☐ Canada / Alaska

☐ Northern Hemisphere

Display winds as

○ Color coded arrows

● Wind barbs

Last Updated: 15:59:01Z - 2022-02-10

Winds

Altitude: 18,000

Direction: 250°

Wind Speed: 73 kts

ISA Temp -1 C

FltPlan Go - Maps Page - Winds - Wind Barbs

SIGMETS

***NOTE:** An internet connection must be established to view information within the SIGMETs tab.*

Touch the **SIGMETs** button to view a drop-down menu listing available Map overlays related to SIGMETs, AIRMETs, and PIREPs.

Enabling SIGMETs, AIRMETs, & PIREPs:

1) Toggle the SIGMETs overlay On/Off by touching the checkmark next to **Show SIGMETs**.
2) Select the desired information from **Convective**, **Low Level Wind Shear**, **IFR**, **Sandstorm**, **Thunderstorm**, **Icing**, **Tropical Cyclone**, **Volcanic Ash**, **Turbulence**, **Mountain Waves**, **Mountain Obscuration**, and **Dust Storm**.
3) Toggle the AIRMETs overlay On/Off by touching the checkmark next to **Show AIRMETs**.
4) Select the desired information from **Turbulence**, **Mountain Obscuration**, **Icing**, and **IFR**.
5) Toggle the PIREPs overlay On/Off by touching the checkmark next to **Show PIREPs**, then select the desired information from **Turbulence**, **Icing**, and **Weather**.
6) Touch the **Refresh** button to update the weather data.
7) Touch ⚙ to view and adjust the opacity for the SIGMET or AIRMET overlay. Once the desired overlays have been selected and displayed, associated symbols will become visible on the Map. Touch the desired symbol to view a pop-up window with specific details related to the selected SIGMET, AIRMET, or PIREP.



☑ Show SIGMETs
☑ Convective ☑ Thunderstorm ☑ Turbulence
☑ Low Level Wind Shear ☑ Icing ☑ Mountain Waves
☑ IFR ☐ Tropical Cyclone ☑ Mountain Obscuration
☐ Sandstorm ☐ Volcanic Ash ☐ Dust Storm

☑ Show AIRMETs
☑ Turbulence ☑ Icing
☑ Mountain Obscuration ☑ IFR

☑ Show PIREPs
☑ Turbulence ☑ Icing
☑ Weather

Last Updated: 18:34:39Z - 2022-02-10

TURB-LO AIRMET

Center: TANGO
Valid: 2022-02-10T18:00:00Z
Issued: 2022-02-10T15:28:00Z
Severity: MOD
Top: 10000 ft
Base: Surface

Touch to Toggle On/Off

Touch to Adjust Layer Opacity

Data Refresh Info

Touch to Refresh

Touch to View

FltPlan Go - Maps Page - SIGMETs - CONUS

Touch the **Legend** button to view a legend describing the information displayed when various layers are displayed.



FltPlan Go - Maps - SIGMETs Legend

WEATHER

NOTE: *An internet connection must be established to view information within the Weather tab.*

NOTE: *Radar animation is not available when multiple Radar layers are selected.*

Touch the Weather tab to display a drop-down menu listing Baron Weather options, such as U.S. Radar, Alaska Radar, Canadian Radar, Echo Tops, Surface Analysis, Lightning, Infrared (IR) Satellite, and Visible Satellite.

Enabling Weather:

1) Toggle the desired layers On/Off by touching the checkmark.
2) Touch ⚙ to adjust the opacity of the layer/overlay.
3) When a Radar option is enabled ▶ will be displayed in the bottom right corner of the Map.
4) Touch ▶ to animate the weather in 10 minute intervals, then ■ to stop animation.



Baron Weather

☑ U.S. Radar
☐ Alaska Radar
☐ Canadian Radar
☑ Echo Tops
☑ Surface Analysis
☐ Lightning
☐ IR Satellite
☐ Visible Satellite

Last Updated:
19:03:00Z - 2022-02-10

Touch to Toggle On/Off

Data Refresh Info

Touch to Adjust Layer Opacity

Touch to Refresh

Touch to Toggle Animation On/Off

FltPlan Go - Maps - Weather

XM (OPTIONAL)

Touch the XM button to view connection options. Touch either **Connect via WiFi**, or **Connect via GDC64**.

Connecting to Baron Mobile Link System

1) From the device, i.e. iPad, go to **Settings** and connect the WiFi to Mobile Link.
2) Once the Mobile Link is connected, there will be a slight delay to allow the XM Receiver to fully initialize (this can take several minutes).
3) Open FltPlan Go.
4) Touch the **Maps** tab **> XM**.

NOTE: *If an error is received when navigating to the XM weather menu, the most common cause is due to the lengthy initializing stage required for the XM Radio.*

5) From the XM menu, touch the desired weather to display.

ADS-B

Once an ADS-B device has been connected via the External tab, touch the Maps > ADS-B to display a drop-down menu listing available data overlays, graphics, and information.

The first colum contains the options Regional Radar, CONUS (Continental United States) Radar, Traffic, PIREPs, NOTAMs, METARs, TAFs, and Traffic Breadcrumbs.

Once enabled, the PIREPs, NOTAMs, METARs and TAFs will be overlayed on the Map. NOTAMs appear as purple squares, METARs as green squares, and TAFs as blue squares. PIREPs will be displayed via the appropriate symbol. Touch the weather and traffic icons on the Map to view additional information.

Touch ⚙ next to the Regional Radar and/or CONUS Radar to adjust opacity.

Touch ⚙ next to Traffic to display the legend and options, which include Minimize Distant Traffic, Hide Distant Traffic, and Display Relative Altitude.

- Enable **Minimize Distant Traffic** to hide the gray ring around the traffic.
- Enable **Hide Distant Traffic** to hide the distant traffic.
- Enable **Display Relative Altitude** to display the relative altitude of the traffic.

The second column within the ADS-B menu contains information such as **Battery Life, Firmware, AIRMETs,** and **SIGMETs.**

Touch ⚙ next to AIRMETs or SIGMETs to enable specific layers and/or adjust opacity.

The third column within the ADS-B menu contains information detailing the number of **ADS-B Towers** along with the number of weather stations used to collect data.

Touch **Status** to verify the ADS-B device is sending FIS-B information.

Touch **Reset** to reset the connection.

Touch **Disconnect** to remove the device connection.



Heartbeat: ● GPS: ● FIS-B: ●

Battery: Charging
Firmware: 2.15

# of ADS-B Towers: 0
# of AIRMETs: 0
# of NOTAMs-TFR: 0
# of NOTAMs: 0
# of METARs: 0
# of TAFs: 0
# of PIREPs: 0
# of Regional blocks: 0
# of CONUS blocks: 0
# of SIGMETs: 0

Touch to View

Touch to View/ Adjust Options

Touch to Toggle On/Off

Touch to Toggle On/Off

FltPlan Go - Maps - ADS-B

***NOTE:** The User must be connected to an ADS-B device in order to receive current Weather, NOTAMs, TAFs, METARs, AIRMETs, and SIGMETs.*

HEAD-UP DISPLAY (HUD)

Located on the bottom of the screen, the HUD displays flight information, which includes Accuracy, Bearing, Ground Speed, Lat/Long, Magnetic Course, and Distance. This information is updated in real time based upon the tabled GPS or a properly configured and connected external GPS / ADS-B device. If the HUD is hidden, touch ● or ● in the bottom right corner and slide Left, across the screen, to display the HUD. To view and/or change the HUD display options, touch any information box to display a pop-up window, then select the desired data.



Slide Left to View HUD Info

FltPlan Go - Maps - HUD Hidden - GPS Signal Lost



Accuracy	Altitude	Speed (kts)	Lat / Long	Mag Course	Dist. (KPHX)
35 m	1058 ft	0 kts	38° 52.095 N 94° 42.867 W	358°	899 NM

Slide Right to Hide HUD Info

Red Indicates GPS Signal Lost

FltPlan Go - Maps - HUD - GPS Signal Lost



Accuracy	Altitude	Speed (kts)	Lat / Long	Mag Course	Dist. (KPHX)
35 m	1057 ft	0 kts	38° 52.096 N 94° 42.867 W	358°	899 NM

Slide Right to Hide HUD Info

Green Indicates GPS Signal Acquired

Touch to View HUD Options

FltPlan Go - Maps - HUD Options - GPS Signal Acquired

AUTO CENTER

Located on the bottom of the screen, directly above the HUD display button, is the Auto Center button. Touch ◎ to center the Map to the current location of the aircraft. When activated, the Auto Center button appears green, and will automatically recenter the Map back to the aircraft after the User is done scrolling. To disable the Auto Center feature, touch ◎ again, turning the button grey.

NAVLOGS

Selecting the NavLogs icon from the Home Menu will guide the User to NavLog section, highlighting NavLog Options, Split Screen Options, Share/Save Options, Connectivity, My NavLogs/WX, and different NavLog format options, i.e. Web or PDF.



Navigation Log

Wednesday 02-16-22
Dept: 1700L (GMT-6) - Arr: 1811L (GMT-6)

N2345B	IFR	GenAv	C525/L	Equip: SGRW/PU1
Dep: KLWC	2300Z	352kts	FL370	Route (see below)
Dest: KMSP	ETE: 1:11	Altn: KSTP		
Item 18: PBN/C2D2 DOF/220216 REG/N2345B SUR/282B CODE/ABCDEF				
Item 19: FOB: 0350 SOB: 3 PIC:JOE PILOT (sic:test pilot)				

ASOS Ph: 785-749-1309/121.22
Clnc:121.82
FSS: 800-992-7433 (1-57)
ATC Clnc issues? FltPlan:1-203-262-8383
Elev:833 CTAF: 123.0

Filed: STJ ROKKK.NITZR3

KLWC to KMSP : TC=15° : (FMS winds: 195°/ 53) : MC= 11° : ST. LINE=**363nm** : AIRWAY=**366nm** : Extra=**1%**

Winds Aloft	FL410 ISA(-57) Comp	FL370 ISA(-57) Comp	FL350 ISA(-54) Comp	FL330 ISA(-50) Comp
STJ	249/119 +01 +054	245/129 +00 +067	243/126 +01 +070	243/114 -01 +064
ROKKK	251/104 +00 +045	248/113 -00 +054	245/109 -02 +059	244/099 -05 +056
FUZEE	251/103 +00 +071	249/111 -00 +080	245/108 -02 +083	244/099 -05 +077
Avg. Trip Winds=>	+ 45 Tailwind	+ 53 Tailwind	+ 56 Tailwind	+ 54 Tailwind
FLT TIME==>	1:13(+02) 332TAS	1:11(+00) 352TAS	1:09(-02) 366TAS	1:09(-02) 369TAS
Fuel Burn==>	1,158 Lbs	1,147 Lbs	1,140 Lbs	1,162 Lbs

FIX	ST	LAT/LON	InB/Out Mag Crs	Leg	Rem	Fuel Burn Leg	Fuel Burn Tot.	Leg	Rem	ETE	ATA	WX
KLWC LAWRENCE	KS	N3900.7W09513.0	---/009	0	366	100	100.0 |	0:00	1:11	0:00 |		
STJ 115.5 ST JOSEPH	MO	N3957.6W09455.5	005/006	58	308	287	387.4 |	0:14	0:57	0:14 |		N/A
ROKKK 115.5/6/164	IA	N4237.0W09404.0	013/029	164	144	346	733.5 |	0:26	0:31	0:40 |		N/A
FUZEE	IA	N4251.2W09353.1	029/029	16	128	28	761.3 |	0:03	0:28	0:43 |		N/A
RRAZZ	IA	N4317.0W09333.1	029/003	30	98	57	818.1 |	0:04	0:24	0:47 |		N/A
KBEEE	IA	N4329.8W09332.0	003/003	13	85	29	847.0 |	0:02	0:22	0:49 |		N/A
DEMLL	MN	N4357.9W09329.5	003/004	28	57	67	913.8 |	0:05	0:17	0:54 |		N/A
NITZR	MN	N4411.2W09328.0	004/021	13	44	33	946.7 |	0:03	0:14	0:57 |		N/A
WRSAW	MN	N4414.9W09325.9	021/022	4	40	10	956.8 |	0:00	0:14	0:57 |		N/A
DAHRL	MN	N4421.9W09322.0	022/011	8	32	21	977.5 |	0:02	0:12	0:59 |		N/A
SEE STAR FOR ROUTE AFTER DAHRL WAYPOINT												
KMSP 115.3 MINNEAPOLIS	MN	N4452.9W09313.3	011/---	32	0	169	1147 |	0:12	0:00	1:11 |		

EL:842 Atis: 135.35 Twr: 123.95/126.7 Gnd: N121.8 S121.9 Fuel hourly method: 1,347

ALTN: KSTP ST PAUL ST PAUL DOWNTOWN HOLMAN FLD,MN | Alt: **FL030** Brg:**065°** **8nm** Time:**0:04** Fuel:**138**

Fuel (lbs.) | Taxi: 100 | Trip: 1,047 | Altn: 138. | 45 min: 555 | **Min Fuel Required: 1,840**

SIGNATURE 128.95 ASOS : 612-725-0939 ATIS : 612-726-9240
612-726-5700
FSS Arrival Airport
800-992-7433 (1-66-1)

STP St. Paul Flight Center
ST PAUL Downtown Airport
Closest Airport to Downtown Minneapolis
1-800-368-0107 State of the Art Facilities Arinc: 129.0

	Sunrise	Sunset
C	7:11	17:59
P	7:12	17:42

in:		on:		Start:			
out:		off:		Rem:			

FltPlan Go - NavLogs



FltPlan Go - NavLogs - Banner Menu

NAVLOG OPTIONS

The first button in the NavLogs banner menu is Options. Touch ⚙ to view a drop-down menu with the following options: Refresh Current NavLog, Download all NavLogs for Today, Departure Airport, Arrival Airport, and VFR - Activate/Close.



FltPlan Go - NavLogs - Options

REFRESH CURRENT NAVLOG

Touch **Refresh Current NavLog** to refresh/update the NavLog following any route changes or weather updates.

Touch **Download All NavLogs for Today** to downlaod NavLogs dated for today. Once all NavLogs have been downloaded a green message will appear stating 'NavLogs Downloaded'.

Touch **Departure Airport** to be redirected to the Airports Page, highlighting the departure airport's information.

Touch **Arrival Airport** to be redirected to the Airports Page, highlighting the arrival airport's information.

SPLIT SCREEN OPTIONS

Touch ↔ to display a drop-down menu with various Split Screen options that can be displayed simultaneously, such as; Airports, Flight Instruments (AHRS), Departure Airport Procedures, Arrival Airport Procedures, Howgozit, Checklsit, and Weather. Touch the desired display option to view one of the Split Screen Options in conjuction with with NavLogs simultanesously, in either vertical or horizontal orientation.

Touch to View Split Screen Options



Touch to View Dep & Arr Airport NOTAMs, A/FD, & Weather

Touch to View Digital 'Six Pack' of Flight Instruments

Touch to View Airport Procedures

Touch to View/Log Expected vs. Actual Fuel Burn Differences

Touch to View Checklists for Active Account

Touch to View Weather for Route

FltPlan Go - NavLogs - Split Screen Options



Navigation Log

Wednesday 02-16-22
Dept: 1700L (GMT-6) - Arr: 1811L (GMT-6)

N2345B	IFR	GenAv	C525/L	Equip: SGRW/PU1
Dep: KLWC	2300Z	352kts	FL370	Route (see below)
Dest: KMSP	ETE: 1:11	Altn: KSTP		
Item 18: PBN/C2D2 DOF/220216 REG/N2345B SUR/282B CODE/ABCDEF				
Item 19: FOB: 0350 SOB: 3 PIC:JOE PILOT (sic:test pilot)				

ASOS Ph: 785-749-1309/121.22
Clnc:121.82
FSS: 800-992-7433 (1-57)
ATC Clnc issues? FltPlan:1-203-262-8383
Elev:833 CTAF: 123.0

Filed: STJ ROKKK.NITZR3

KLWC to KMSP : TC=15° : (FMS winds: 195°/ 53) : MC= 11° : ST. LINE=**363nm** : AIRWAY=**366nm** : Extra=**1%**

Winds Aloft	FL410 ISA(-57) Comp	FL370 ISA(-57) Comp	FL350 ISA(-54) Comp	FL330 ISA(-50) Comp
STJ	249/119 +01 +054	245/129 +00 +067	243/126 +01 +070	243/114 -01 +064
ROKKK	251/104 +00 +045	248/113 -00 +054	245/109 -02 +059	244/099 -05 +056
FUZEE	251/103 +00 +071	249/111 -00 +080	245/108 -02 +083	244/099 -05 +077
Avg. Trip Winds=>	+ 45 Tailwind	+ 53 Tailwind	+ 56 Tailwind	+ 54 Tailwind
FLT TIME==>	1:13(+02) 332TAS	1:11(+00) 352TAS	1:09(-02) 366TAS	1:09(-02) 369TAS
Fuel Burn==>	1,158 Lbs	1,147 Lbs	1,140 Lbs	1,162 Lbs

FIX	ST	LAT/LON	InB/Out Mag Crs	Leg	Rem	Fuel Burn Leg	Fuel Burn Tot.	Leg	Rem	ETE	ATA	WX
KLWC LAWRENCE	KS	N3900.7W09513.0	---/009	0	366	100	100.0 |	0:00	1:11	0:00 |		
STJ 115.5 ST JOSEPH	MO	N3957.6W09455.5	005/006	58	308	287	387.4 |	0:14	0:57	0:14 |		N/A
ROKKK 115.5/6/164	IA	N4237.0W09404.0	013/029	164	144	346	733.5 |	0:26	0:31	0:40 |		N/A
FUZEE	IA	N4251.2W09353.1	029/029	16	128	28	761.3 |	0:03	0:28	0:43 |		N/A
RRAZZ	IA	N4317.0W09333.1	029/003	30	98	57	818.1 |	0:04	0:24	0:47 |		N/A

Certified Weather UTC request time:02/15/2022 21:21z
Weather Page Abbreviations

Current METAR Grid

Airport	Ceiling	Visibility	Wind Speed	Temp	METAR
KLWC ➔ KMSP					
KLWC	🟢	🟢	🔵	🟢	KLWC 152052Z AUTO 18020G36KT 10SM CLR 19/M03 A2982 RMK AO1 PK
KFOE	🟢	🟢	🔴	🟢	KFOE 152053Z 18023G43KT 10SM CLR 20/M02 A2979 RMK AO2 PK WND
KBIE	🟢	🟢	🔴	🟢	KBIE 152055Z AUTO 19024G28KT 10SM CLR 18/M03 A2967 RMK AO2
KSTJ	🟢	🟢	🔴	🟢	KSTJ 152053Z 17026G35KT 10SM CLR 18/M03 A2980 RMK AO2 PK WND 18
KFNB	🟢	🟢	🔴	🟢	KFNB 152053Z AUTO 17022G34KT 10SM CLR 19/M03 A2974 RMK AO2 PK
KDSM	🟢	🟢	🔵	🟢	KDSM 152054Z 15014G24KT 10SM FEW220 OVC250 11/M01 A2983 RMK
KOMA	🟢	🟢	🔵	🟢	KOMA 152052Z 20013KT 10SM OVC250 15/M03 A2970 RMK AO2 SLP062
KCIN	🟢	🟢	🔴	🟢	KCIN 152055Z AUTO 16023KT 10SM CLR 12/M03 A2971 RMK AO2
KMIW	🟢	🟢	🔵	🟢	KMIW 152053Z AUTO 14020G29KT 10SM CLR 06/M01 A2986 RMK AO2 PK
KFOD	🟢	🟢	🔵	🟢	KFOD 152056Z AUTO 14011G16KT 10SM CLR 06/M02 A2977 RMK AO2
KMCW	🟢	🟢	🔴	🟢	KMCW 152053Z AUTO 14022G35KT 10SM CLR 02/M03 A2982 RMK AO2 PK
KSPW	🟢	🟢	🔵	🟢	KSPW 152053Z AUTO 15016G29KT 10SM CLR 07/M02 A2970 RMK AO2 PK
KOTG	🟢	🟢	🔵	🟢	KOTG 152056Z AUTO 17018G23KT 10SM CLR 04/M03 A2966 RMK AO2 PK
KMKT	🟢	🟢	🔵	🟢	KMKT 152056Z AUTO 14019KT 10SM CLR 01/M03 A2978 RMK AO2 PK WND

Touch to View

Touch to Refresh Weather Data

Touch to View My Airports / Routes

Touch to Print

Scroll to View Additional Info

FltPlan Go - NavLogs - Split Screen - Weather

HOWGOZIT

NOTE: *Prior to selecting Howgozit, please ensure the the correct route is selected by touching the route from the drop-down menu or creating the route by touching* ***Maps*** *>* ***Edit****.*

NOTE: *Please ensure the latest NavLog is downloaded to ensure the best data is available for calculations.*

Within the Split Screen Options drop-down menu, touch **Howgozit** to log flight times, legs, and fuel burn in real time. This data is then compared with projections/expectations and generates a score based upon actual flight/leg time vs. expected fuel burn.


Touch to View Split Screen Options
Split Screen Options
Airports
Touch to View Dep & Arr Airport NOTAMs, A/FD, & Weather
Touch to View Digital 'Six Pack' of Flight Instruments
Flight Instruments
KLWC - Procedures
KMSP - Procedures
Touch to View Airport Procedures
Touch to View/Log Expected vs. Actual Fuel Burn Differences
Howgozit
Checklist
Touch to View Checklists for Active Account
Touch to View Weather for Route
Weather

FltPlan Go - NavLogs - Split Screen Options

To enter data points along the route, the User, upon passing a waypoint, will enter the time over the waypoint and the fuel on board. Howgozit then displays a new accurate ETA and fuel on board upon landing. If the User's device has GPS signal, Howgozit will automatically display the time over the fix without User intervention.

***NOTE:** The autogenerated Howgozit times over a fix are based upon the NavLog ground speed, not the current ground speed.*

Touch the Howgozit tab to display a pop-up window with the Departure Date (MM/DD/YYYY), Time (HH:MMZ), and Now buttons at the top. Touch the Departure Date button to display the date currently imported from the NavLog. To change the Date, touch the date listed in the secondary pop-up window, then select the date from the calendar.


Departure 02/17/2022 18:00 Z

Fuel on Board 2840

FltPlan Go - NavLogs - Split Screen - Howgozit - Settings - Date Selection

Touch the **Departure Time** button to display the time currently imported from the NavLog. To change the Departure Time, touch the time listed in the secondary pop-up window, then set the time by 'spinning' the hours and minutes accordingly.



Touch to Display Time

Touch to Set Time

Departure: 02/17/2022 18:00 Z Now

Fuel on Board: 2840

Cancel Ok

18:00

16	58
17	59
18	00
19	01
20	02

FltPlan Go - NavLogs - Split Screen - Howgozit - Settings - Time Selection

Touch the **Now** button to set the departure date and time to the present date and time.

Enter Fuel On Board manually (lbs) and touch **Ok** to save the data, or **Cancel** to exit without saving.

Touch **Howgozit** to display the following data that was pulled from the NavLog: Departure (Zulu), Estimated Arrival (Zulu), Updated Arrival (Zulu), Updated Landing Fuel, and various fixes along the route. Touch the checkmark next to Auto Update to allow the GPS to automatically calculate the Estimated Time of Arrival (ETA), Actual Time of Arrival (ATA), and Score during the flight.



Departure: 16:00 Z

Est. Arrival: 17:32 Z

Updated Arrival: 17:32 Z

Updated Landing Fuel: 1426

✓ Auto Update

Settings

Touch to View

Touch to Toggle On/Off

Touch to Adjust Time/Fuel on Board

Scroll to View More Info

Location		Time		Fuel		
Fix	ETA	ATA	Score	Fuel	Actual	Score
KAAO	16:00 Z	16:00 Z	--	2840	2840	--
PEABO	16:08 Z	--	--	2549	--	--
GOSSL	16:12 Z	--	--	2481	--	--
FOD0100	16:44 Z	--	--	2059	--	--
FOD	16:59 Z	--	--	1873	--	--

FltPlan Go - NavLogs - Split Screen - Howgozit

Once the fixes along the route have been imported, the User can adjust the Arrival Data by touching the desired fix/waypoint which displays a pop-up window for Arrival data. Enter the Time (Zulu) or press the **Now** button to load the current time. Touch within the Fuel on Board text box to manually enter information.

Touch **OK** to save any adjustments.

Touch **Delete** to remove the fix/waypoint from the route.

Touch **Cancel** to close without saving.

Once the data has been entered, the Howgozit section will calculate a Score for each leg and present the data as green text if there was an improvement from the NavLog expectations, black text if the data was the same as the NavLog expectations, or red text if the data was a downgrade from the NavLog expectations.



Navigation Log

Thursday 02-17-22
Dept: 1200L (GMT-6) - Arr: 1309L (GMT-6)

N2345B	IFR	GenAv	C525/L	Equip: SGRW/PU1
Dep: KIXD	1800Z	352kts	FL370	Route (see below)
Dest: KFCM	ETE: 1:09	Altn: KSTP		
Item 18: PBN/C2D2 DOF/220217 REG/N2345B SUR/282B CODE/ABCDEF				
Item 19: FOB: 0349 SOB: 4 PIC:JOE PILOT (sic:test pilot)				

ASOS Ph: 913-780-6987/135.32
Clnc: 888-766-8267 (57)
FSS: 800-992-7433 (1-57)
ATC Clnc issues? FltPlan:1-203-262-8383
Elev:1087 Gnd:124.3 Twr:133.0

Filed: ROYAL9.TONCE TWOLF.TWOLF3

KIXD to KFCM : TC=11° : (FMS winds: 191°/ 67) : MC= 7° : ST. LINE=**365nm** : AIRWAY=**367nm** : Extra=**1%**

Winds Aloft	FL410 ISA(-57) Comp	FL370 ISA(-57) Comp	FL350 ISA(-54) Comp	FL330 ISA(-50) Comp
TONCE	237/120 +00 +059	227/129 +01 +086	219/126 +01 +097	212/118 -01 +102
TWOLF	247/100 +00 +052	239/119 +01 +076	232/133 +00 +099	223/141 -03 +118
KGEEE	249/093 +00 +027	243/109 +01 +042	236/126 +01 +061	227/140 -03 +087
Avg. Trip Winds=>	+ 47 Tailwind	+ 67 Tailwind	+ 85 Tailwind	+ 102 Tailwind
FLT TIME==>	1:13(+04) 332TAS	1:09(+00) 352TAS	1:06(-03) 366TAS	1:05(-04) 369TAS
Fuel Burn==>	1,181 Lbs	1,135 Lbs	1,121 Lbs	1,113 Lbs

FIX	ST	LAT/LON	InB/Out Mag Crs	Leg	Rem	Fuel Burn Leg	Fuel Burn Tot.	Leg	Rem	ETE	ATA	WX
KIXD OLATHE	KS	N3849.9W09453.4	---/011	0	367	100	100.0 |	0:00	1:09	0:00 |		
SEE DP FOR ROUTE PRIOR TO MCI VOR												
MCI 113.25KANSAS CITY	MO	N3917.1W09444.2	010/000	28	339	186	286.2 |	0:08	1:01	0:08 |		N/A
JDOGG 113.25//40	MO	N3957.0W09439.7	000/004	40	299	126	412.1 |	0:07	0:54	0:15 |		N/A
TONCE	MO	N4016.9W09437.4	004/014	20	279	47	459.2 |	0:03	0:51	0:18 |		N/A

Departure:	18:00 Z
Est. Arrival:	19:09 Z
Updated Arrival:	19:08 Z
Updated Landing Fuel:	1709

☑ Auto Update

Settings

Location Fix	ETA	ATA	Time Score	Fuel	Fuel Actual	Score
KIXD	18:00 Z	18:00 Z	--	2840	2840	--
MCI	18:08 Z	18:07 Z	-1	2554	2500	-54
JDOGG	18:15 Z	18:13 Z	-2	2428	2408	-20
TONCE	18:18 Z	18:18 Z	0	2381	2381	0
TWOLF	18:46 Z	18:45 Z	-1	2021	2025	+4

Touch to View

Touch to View Howgozit Settings

Touch to Toggle 'On/Off'

Touch to Adjust Time/Fuel on Board

'Score' for Leg of Route

FltPlan Go - NavLogs - Split Screen - Howgozit Scores

SHARE/SAVE FILE

Touch within the NavLogs section to display a drop-down menu listing available sharing and/or storage options (i.e. AirDrop, Chrome, Drive, etc.).

Touch **Edit Actions** to adjust file saving settings.

***NOTE:** If the AirDrop option is selected, the program will scan for discoverable devices within 25 feet.*



FltPlan Go - NavLogs Page - Share/Save Menu

Touch **Save to Files** to display a menu listing available locations for the file/item, (i.e. iCloud, On My iPad, etc.).



"outbox.fltplango" will be saved to iCloud Drive.

FltPlan Go - NavLogs Page - Share/Save - Save Files Menu

MY NAVLOGS/WX

Touch the button at the top, center, with the Departure and Arrival airport ID's, i.e. KBJC to KPHX to display a drop-down menu listing Saved NavLogs / WX and Online NavLogs / WX.

SYNCING NAVLOGS

When a flight plan is created in FltPlan.com, the flight information, including NavLogs, Routes, Weight & Balance Calculations, and Checklists, are synced to the FltPlan Go program.

***NOTE:** After creating a flight plan on FltPlan.com and generating a NavLog, the User needs to touch the Save button, which will allow the FltPlan Go program to import the NavLog and save for offline viewing.*

Touch the desired NavLog to download to the device.

Touch the refresh arrow to refresh the downloaded NavLogs.



FltPlan Go - NavLogs Page - My NavLogs / WX

NAVLOG VIEWING FORMAT

The next group of buttons within the NavLogs header allow the User to view NavLogs as a Webpage, Paged-PDF, or Scrollling PDF. The current display format will be hilighted with green text.

Touch WEB to view the NavLog as a webpage, which removes the functionality of the NavLog Options banner menu, such as options to edit or print.

Touch PDF to view the NavLog as a Paged-PDF, which includes the Banner Menu Options such as Time Stamp, Annotate, Lock Screen, Print, Email, and Rotate (90° Clockwise). Towards the bottom of the screen, there will be a horizontal list of pages, select as desired.

Touch PDF to view the NavLog as a Scrolling PDF., which includes the Banner Menu Options such as Time Stamp, Annotate, Lock Screen, Print, Email, and Rotate (90° Clockwise). Scroll Up/Down to view NavLog information, as desired.



FltPlan Go - NavLogs - Paged PDF Format - Banner Menu

Current NavLog Display Format



FltPlan.com **Navigation Log**

Saturday 02-19-22
Dept: 1800L (GMT-6) - Arr: 1938L (GMT-6)

N2345B	IFR	GenAv	C525/L	Equip: SGRW/PU1
Dep: KAAO	0000Z	352kts	FL370	Route (see below)
Dest: KSTP	ETE: 1:38		Altn: KMSP	
Item 18: PBN/C2D2 DOF/220220 REG/N2345B SUR/282B CODE/ABCDEF				
Item 19: FOB: 0350 SOB: 3 PIC:JOE PILOT (sic:test pilot)				

ASOS Ph: 316-636-2541/134.02
Clnc:125.0
FSS: 800-992-7433 (1-57)
ATC Clnc issues? FltPlan:1-203-262-8383
Elev:1421 CTAF: 122.7

Filed: PEABO GOSSL FOD.TWOLF3

KAAO to KSTP : TC=24° : (FMS winds: 24°/ 15) : MC= 18° : ST. LINE=**470nm** : AIRWAY=**483nm** : Extra=**3%**

Winds Aloft	FL410 ISA(-57) Comp	FL370 ISA(-57) Comp	FL350 ISA(-54) Comp	FL330 ISA(-50) Comp
GOSSL	277/054 -04 +010	287/044 -04 +001	290/042 -03 -001	287/039 -02 +001
FOD0100	294/065 -07 -002	300/060 -06 -007	302/057 -04 -008	300/055 -04 -006
FOD	296/072 -07 -004	302/070 -07 -010	305/069 -05 -014	308/068 -05 -016
TICKT	296/072 -07 +000	302/071 -07 -006	306/070 -05 -010	308/069 -05 -012
Avg. Trip Winds=>	- 10 Headwind	- 15 Headwind	- 18 Headwind	- 17 Headwind
FLT TIME==>	1:40(+02) 332TAS	1:38(+00) 352TAS	1:37(-01) 366TAS	1:36(-02) 369TAS
Fuel Burn==>	1,455 Lbs	1,489 Lbs	1,527 Lbs	1,552 Lbs

FIX	ST	LAT/LON	InB/Out Mag Crs	Leg	Rem	Fuel Burn Leg	Fuel Burn Tot.	Leg	Rem	ETE ATA	WX
KAAO WICHITA	KS	N3744.9W09713.3	---/337	0	483	100	100.0 |	0:00	1:38	0:00 |	
PEABO	KS	N3809.0W09722.5	340/019	25	458	191	291.1 |	0:08	1:30	0:08 |	N/A
GOSSL	KS	N3826.4W09713.6	019/025	19	439	68	359.2 |	0:04	1:26	0:12 |	N/A
FOD0100		N4109.2W09522.2	021/022	184	255	456	815.4 |	0:34	0:52	0:46 |	122.0
FOD 113.5 FORT DODGE	IA	N4236.7W09417.7	022/032	100	155	206	1022 |	0:18	0:34	1:04 |	N/A
TICKT 113.5/32/22	IA	N4253.7W09359.0	032/038	22	133	46	1068 |	0:03	0:31	1:07 |	N/A
WOLF	IA	N4317.0W09333.1	038/003	30	103	64	1133 |	0:05	0:26	1:12 |	N/A
GEEE	MN	N4344.9W09330.5	003/004	28	75	71	1204 |	0:06	0:20	1:18 |	N/A
NKS	MN	N4406.9W09328.4	004/004	22	53	59	1263 |	0:04	0:16	1:22 |	N/A
RGET	MN	N4413.9W09327.7	004/022	7	46	19	1282 |	0:02	0:14	1:24 |	N/A
SEE STAR FOR ROUTE AFTER TRGET INTERSECTION											
KSTP ST. PAUL	MN	N4456.1W09303.6	022/---	46	0	207	1489 |	0:14	0:00	1:38 |	

EL:705 Atis: 118.35 Twr: 119.1 Gnd: 121.67

Fuel hourly method: 1,707

ALTN: KMSP MINNEAPOLIS MINNEAPOLIS-ST. PAUL INTL.,MN | Alt: **FL030** Brg:**245°** **8nm** Time:**0:04** Fuel:**139**

Fuel (lbs.) | Taxi: 100 | Trip: 1,389 | Altn: 139. | 45 min: 555 | Extra: 924 | **PFOB: 3,107** | **Min Fuel Required: 2,183**

Extra Fuel Reduced to Meet Maximum Takeoff Weight Requirements

Weights(lbs.) **OEW:** 6,593 **Payload:** 800 **ZFW:** 7,393

TOLD	**PTXW:** 10,500	**MTXW:** 10,500/
KAAO	**PTOW:** 10,400	**MTOW:** 10,400/TS
KSTP	**PLDW:** 9,011	**MLDW:** 9,700/S
KMSP	**PLDW:** 8,872	**MLDW:** 9,700/S

Performance	**Runway**	**Wind/QNH/OAT**
MRTW: 10,400/A	18	T16009KT/30.21/+4
MRLW: 9,700/C	14	T17014KT/30.01/-8
MRLW: 9,700/C	22	T18013KT/30.00/-8

ST. PAUL FLT CTR 129.0
651-227-8108

SIGNATURE 131.35
651-224-1100

ASOS : 651-298-1410

FSS Arrival Airport
800-992-7433 (1-66-1)

St. Paul Flight Center
Closest Airport to Minneapolis & St. Paul Business Districts
1-800-368-0107 State of the Art Facilities Arinc 129.0

02/19	Sunrise	Sunset
KAAO	7:14	18:12
KSTP	7:07	17:46

Touch to View Page

FltPlan Go - NavLogs Page - Paged PDF Format

NAVLOG INFORMATION

Once a route has been crated in the FlPlan.com page, touch **Press Here for NavLog** to view a long list of pertinent information for the flight, such as Navigation Log, Trip Notes, Winds Matrix, Weather Info and Airport Diagrams for the Departure and Arrival Airports.

NAVIGATION LOG DETAILS

The Navigation Log includes the following information:



N2345B | IFR | GenAv | C525/L | Equip: SGRW/PU1

Dep: KIXD | 2000Z | 352kts | FL370 | Route (see below)

Dest: KFFC | ETE: 1:57 | Altn: KFTY

Item 18: PBN/C2D2 DOF/220222 REG/N2345B SUR/282B CODE/ABCDEF

Item 19: FOB: 0350 SOB: 4 PIC:JOE PILOT (sic:test pilot)

Filed: RACER7.SGF TIROE

①	Aircraft registration (N#).
②	Departure Airport International Civil Aviation Organization (ICAO) Identifier.
③	Departure Time (Zulu).
④	Destination Airport International Civil Aviation Organization (ICAO) Identifier.
⑤	ICAO Aircraft Equipment Information.
⑥	Fuel On Board (HHMM), Souls On Board, Pilot In Command, and Second In Command (if necessary).
⑦	Fixes / Waypoints Filed for the Route.
⑧	Estimated Time Enroute (HH:MM).
⑨	Alternate Airport International Civil Aviation Organization (ICAO) Identifier.
⑩	Planned Flight Level / Altitude.
⑪	Planned maximum runway takeoff weight (10,400 lbs.).
⑫	ICAO Aircraft Equipment Information.
⑬	Aircraft Type Identifier and Equipment Suffix.
⑭	Type of Operation (General Aviation).
⑮	Flight Plan Rules for Route (IFR / VFR).

WINDS ALOFT MATRIX

The Winds Aloft Matrix is the next section and includes the following information:



KIXD to KFFC : TC=124° : (FMS winds: 304°/ 51) : MC= 120° : ST. LINE=**598nm** : AIRWAY=**664nm** : Extra=**11%**

Winds Aloft	FL410 ISA(-57) Comp	FL370 ISA(-57) Comp	FL350 ISA(-54) Comp	FL330 ISA(-50) Comp
BUM	245/129 +03 -067	244/137 +04 -074	242/137 +04 -076	241/127 +02 -070
SGF	245/132 +03 +030	246/145 +04 +034	245/149 +05 +032	245/140 +03 +031
TIROE0300	250/119 -01 +065	250/116 +01 +064	249/109 +03 +059	247/102 +05 +053
TIROE0200	255/112 -02 +069	257/106 +01 +068	256/098 +03 +063	254/092 +05 +057
TIROE0100	259/104 -01 +068	262/095 +02 +068	264/086 +03 +064	263/082 +05 +060
Avg. Trip Winds=>	+ 52 Tailwind	+ 51 Tailwind	+ 46 Tailwind	+ 42 Tailwind
FLT TIME==>	2:00(+03) 332TAS	1:57(+00) 352TAS	1:56(-01) 366TAS	1:55(-02) 369TAS
Fuel Burn==>	1,654 Lbs	1,715 Lbs	1,777 Lbs	1,827 Lbs

①	Departure and Arrival Airport International Civil Aviation Organization (ICAO) Identifier.
②	Flight Level / Altitude, i.e. FL410 = 41,000' MSL.
③	Fix / Waypoint Along Route.
④	Bearing To / From the Fix / Waypoint.
⑤	Average Tailwind Component (Knots) for Trip.
⑥	Flight Time (HH:MM) and Time Difference Between the Next Altitude Data Set.
⑦	Amount of Fuel Used (lbs or gals).
⑧	Average True Airspeed (Knots) for Trip.
⑨	Temperature (°C).
⑩	Wind Velocity (Knots).
⑪	The Difference (%) Bewteen the Route via Airways vs. Direct.
⑫	Distance of the Planned Route via Airways (Nautical Miles).
⑬	Distance of the Direct Route (Nautical Miles).
⑭	Magnetic Course.
⑮	True Course.

FIX INFO

The Fix Info is the next section and includes the following information:



FIX	ST	LAT/LON	InB/Out Mag Crs	Leg	Rem	Fuel Burn Leg	Tot.	Leg	Rem	ETE	ATA	WX
KIXD OLATHE	KS	N3849.9W09453.4	---/011	0	664	100	100.0	0:00	1:57	0:00		
MCI 113.25KANSAS CITY	MO	N3917.1W09444.2	010/164	28	636	196	296.1	0:08	1:49	0:08		N/A
GRILD 113.25/164/36	MO	N3841.7W09435.5	164/168	36	600	132	428.4	0:08	1:41	0:16		N/A
BUM 115.9 BUTLER	MO	N3816.3W09429.3	168/128	26	574	93	521.8	0:06	1:35	0:22		N/A
SGF 116.9 SPRINGFIELD	MO	N3721.4W09320.0	128/115	78	496	171	692.7	0:14	1:21	0:36		N/A
TIROE0300		N3554.5W09004.2	118/119	180	316	322	1015	0:27	0:54	1:03		122.0
TIROE0200		N3504.1W08818.2	122/123	100	216	170	1184	0:14	0:40	1:17		122.0
TIROE0100		N3412.1W08634.5	126/127	100	116	177	1361	0:14	0:26	1:31		122.0
TIROE	GA	N3318.4W08452.0	127/083	101	15	233	1594	0:18	0:08	1:49		N/A
KFFC ATLANTA	GA	N3321.5W08434.4	083/---	15	0	121	1715	0:08	0:00	1:57		

①	**Departure Airport International Civil Aviation Organization (ICAO) Identifier.**
②	**Frequency for Navigational Aid.**
③	**Destination Airport International Civil Aviation Organization (ICAO) Identifier.**
④	**State Abbreviation.**
⑤	**Latitude (°N/°S) and Longitude (°W/°E).**
⑥	**Magnetic Course Approaching Fix and Magnetic Course Leaving Fix.**
⑦	**Length of Leg (Nautical Miles).**
⑧	**Distance Remaining to Primary Destintation (Nautical Miles).**
⑨	**Fuel Consumption for the Leg (lbs or gals).**
⑩	**Total Fuel Consumption for the Trip (lbs or gals).**
⑪	**Estimated Time for the Leg (HH:MM).**
⑫	**Estimated Time Remaining Until Primary Destination (HH:MM).**
⑬	**Estimated Time Enroute Until Primary Destination (HH:MM).**
⑭	**Frequency for Weather Information.**

FUEL BURN & ALTERNATE AIRPORT INFO

The Fuel Burn & Alternate Destination Airport is the next section and includes the following information:


EL:808 AWOS: 118.52 CTAF: 123.05 Fuel hourly method: 1,960
ALTN: KFTY ATLANTA FULTON COUNTY AIRPORT-BROWN,GA | Alt: FL030 Brg:011° 25nm Time:0:11 Fuel:230
Fuel (lbs.) | Taxi: 100 | Trip: 1,615 | Altn: 230. | 45 min: 555 | Min Fuel Required: 2,500
ATLANTA REGIONAL 123.05 ASOS : 770-487-1610 FSS Arrival Airport
770-487-2225 800-992-7433 (1-42-1)

1	Alternate Airport International Civil Aviation Organization (ICAO) Identifier, Name, and Location (City, State).
2	Primary Destination Airport Name and CTAF/UNICOM Frequency.
3	Primary Destination Airport Phone Number.
4	Fuel Burn for Taxi (lbs or gals).
5	Total Fuel Burn for Trip (lbs or gals).
6	Fuel Burn to Fly to Alternate Airport (lbs or gals).
7	Fuel Needed to Fly for 45 Minutes Upon Reaching Alternate Airport (lbs or gals).
8	Phone Number for Flight Service Station.
9	Minimum Amount of Fuel Needed for Trip (lbs or gals).
10	Fuel Burn to Fly to Alternate Airport (lbs or gals).
11	Hourly Fuel Calculation (lbs or gals).
12	Time Needed to Fly From Primary Destination Airport to the Alternate Airport (HH:MM).
13	Distance Needed to Fly From Primary Destination Airport to the Alternate Airport (Nautical Miles).
14	Bearing From the Primary Destination Airport to the Alternate Airport.
15	Altitude Used to Calculate Flight Data From The Primary Destination Airport to the Alternate Airport.
16	Common Traffic Advisory Frequency (CTAF) for the Primary Destination Airport.
17	Automated Weather Observing Station (AWOS) for the Primary Destination Airport.
18	Elevation for the Primary Destination Airport (ft).

TRIP NOTES

The next section in the Navigation Log is Trip Notes, where the User can enter the Block Time, Flight Time, and Fuel Used for the Trip.

To Annotate, touch PDF or PDF, then touch anywhere on the screen to display ✎.

Touch ✎ to view the Annotate options. Touch **Clear** to remove all annotations. Touch **Undo** to remove the most recent annotation. Touch **Fine** (the most recent penstroke selection) to adjust the size of the penstroke, i.e. Large, Medium, Small, Fine, or Precise. Touch **Color** to select the color of the penstroke, i.e. Black, Red, Blue, Green, or Yellow. Touch **Undo** to remove the most recent annotation. Touch **Done** to exit the Annotate process.

Annotations



in:		on:	142.7	Start:	3500	
out:		off:	144.8	Rem:	1800	
Block Time:		**Flight** Time:	2.1	**Fuel** Used:	1700	

FltPlan Go - NavLogs Page - Trip Notes

AIRPORT DIAGRAMS

The next section in the Navigation Log is Airport Diagrams, which displays the Departure and Arrival Airport Diagrams, and, if available, FBO location.

NOTE: *Airport Diagrams could be out of date, please verify with the apporpriate source for any changes/updates.*



FBO Location

FltPlan Go - NavLogs Page - Airport Diagrams

WINDS MATRIX - EXPANDED

The next section in the Navigation Log is the Winds Matrix, but with greater detail than previously listed in the Navigation Log. The vast majority of information is the same, but more details are listed for fuel burn and time per Fix. Additional Cruise Altitude information is also detailed, allowing the User to view more data pertinent to the Trip. The filed altitude for the Trip will be highlighted with a green background.

***NOTE:** When a Cruise Altitude exceedes the aircraft limitiations, ABOVE MAX ALT will be displayed and the various data points will remain blank.*



Winds Matrix KIXD to KFFC

N2345B ***FltPlan.com*** Tuesday 02-22-22 — Dept: 1400L (GMT-6) — Arr: 1657L (GMT-5)

RACER7.SGF TIROE

Fix Name **Rem. (Miles)**	**FL450 ISA(-57) Comp** **Rem. (Time - Fuel)**	**FL410 ISA(-57) Comp** **Rem. (Time - Fuel)**	**FL390 ISA(-57) Comp** **Rem. (Time - Fuel)**	**FL370 ISA(-57) Comp** **Rem. (Time - Fuel)**	**FL350 ISA(-54) Comp** **Rem. (Time - Fuel)**
SGF (496nm)	244/118 -02 +026 (--- - ---)	245/132 +03 +030 (1:23 - 957 Lbs)	246/139 +05 +032 (1:22 - 982 Lbs)	246/145 +04 +034 (1:21 - 1023 Lbs)	245/149 +05 +032 (1:19 - 1084 Lbs)
TIROE0300 (316nm)	248/116 -06 +060 (--- - ---)	250/119 -01 +065 (:55 - 670 Lbs)	250/121 +01 +067 (:54 - 680 Lbs)	250/116 +01 +064 (:54 - 701 Lbs)	249/109 +03 +059 (:54 - 733 Lbs)
TIROE0200 (216nm)	254/108 -06 +065 (--- - ---)	255/112 -02 +069 (:40 - 521 Lbs)	256/114 +00 +072 (:39 - 523 Lbs)	257/106 +01 +068 (:40 - 531 Lbs)	256/098 +03 +063 (:40 - 546 Lbs)
TIROE0100 (116nm)	256/100 -06 +062 (--- - ---)	259/104 -01 +068 (-)	261/105 +01 +072 (-)	262/095 +02 +068 (-)	264/086 +03 +064 (-)
Avg. Winds=>	+ 48 Tailwind	+ 52 Tailwind	+ 54 Tailwind	+ 51 Tailwind	+ 46 Tailwind
FLT TIME==>	ABOVE MAX ALT.	2:00(+03) **332TAS**	1:59(+02) **338TAS**	1:57(+00) **352TAS**	1:55(-02) **366TAS**
Fuel Burn==>	---	1,654 Lbs	1,679 Lbs	1,712 Lbs	1,776 Lbs

Fix Name **Rem. (Miles)**	**FL330 ISA(-50) Comp** **Rem. (Time - Fuel)**	**FL310 ISA(-46) Comp** **Rem. (Time - Fuel)**	**FL290 ISA(-43) Comp** **Rem. (Time - Fuel)**	**FL270 ISA(-39) Comp** **Rem. (Time - Fuel)**	**FL250 ISA(-35) Comp** **Rem. (Time - Fuel)**
SGF (496nm)	245/140 +03 +031 (1:19 - 1131 Lbs)	244/124 +02 +028 (1:21 - 1183 Lbs)	241/106 +02 +021 (1:22 - 1235 Lbs)	238/087 +03 +014 (1:23 - 1317 Lbs)	236/084 +03 +011 (1:23 - 1359 Lbs)
TIROE0300 (316nm)	247/102 +05 +053 (:54 - 757 Lbs)	246/097 +05 +050 (:54 - 785 Lbs)	242/087 +06 +040 (:55 - 809 Lbs)	236/073 +08 +027 (:56 - 850 Lbs)	237/071 +09 +028 (:56 - 875 Lbs)
TIROE0200 (216nm)	254/092 +05 +057 (:40 - 557 Lbs)	252/084 +05 +050 (:40 - 572 Lbs)	251/077 +07 +045 (:41 - 581 Lbs)	250/072 +08 +041 (:41 - 603 Lbs)	247/069 +09 +037 (:41 - 618 Lbs)
TIROE0100 (116nm)	263/082 +05 +060 (-)	260/078 +06 +055 (-)	258/072 +07 +049 (-)	255/066 +09 +042 (:27 - 362 Lbs)	252/066 +10 +040 (:26 - 366 Lbs)
Avg. Winds=>	+ 42 Tailwind	+ 40 Tailwind	+ 34 Tailwind	+ 28 Tailwind	+ 26 Tailwind
FLT TIME==>	1:55(-02) **369TAS**	1:56(-01) **369TAS**	1:57(+00) **370TAS**	1:58(+01) **369TAS**	1:57(+00) **368TAS**
Fuel Burn==>	1,829 Lbs	1,899 Lbs	1,957 Lbs	2,051 Lbs	2,098 Lbs

Altitude Exceedes Aircraft Limitations

Filed Altitude

FltPlan Go - NavLogs Page - Winds Matrix - Expanded

The remaining sections within the Navigation Log contain the following raw data/text sets:

- Departure Airport METARs
- Departure Airport Forecast
- Recent NOTAMs - Departure Airport (New or Modified)
- Departure Airport NOTAMs
- Nearby Departure Airport METARs
- Arrival Airport METARs
- Arrival Airport Forecast
- Recent NOTAMs - Arrival Airport (New or Modified)
- Arrival Airport NOTAMs
- Alternate Airport METAR/TAF
- Recent NOTAMs - Alternate Airport (New or Modified)
- Alternate Airport NOTAMs
- Nearby Arrival Airport Weather
- Enroute METARs and TAFs
- Enroute Navigation NOTAMs
- Enroute PIREPs

AUTO SYNCING NAVLOGS

When the User creates a flight plan on FltPlan.com, flight information including NavLogs, Routes, Weight & Balance Calculations, and Checklists are auto-synced to the FltPlan Go program. When auto-sync is enabled, push notifications will be received (pop-up) directly to the device anytime a new NavLog is available. When a flight is approaching, FltPlan Go will automatically send a push notification with the latest NavLog information one hour prior to departure.



FltPlan Go

Yesterday, 10:08 PM

GARMIN has new NavLogs and Routes Available.

FltPlan Go - NavLogs Push Notification

EXTERNAL

The External icon is fifth on the Home Menu. On the External Devices section, the User can view several device categories, such as Internal, External, and Simulators.



Status:	Connected ●
Latitude:	38.86830
Longitude:	-94.71445
Altitude (m):	322.46
Course:	-1.00
Speed (m/s):	-1.00
Vertical Accuracy (m):	16.98
Horizontal Accuracy (m):	35.00
Last Update:	10:57:01 AM

FltPlan Go - External Page

INTERNAL DEVICES

Touch the device under the Internal heading, i.e. iPad GPS, to view information gathered by the iPad's internal GPS, such as:

- Status
- Latitude
- Longitude
- Altitude (meters)
- Course
- Speed (meters/second)
- Vertical Accuracy (meters)
- Horizontal Accuracy (meters)
- Last Update.

The iPad's internal GPS is automatically enabled by default. To disable, touch the **Disable GPS** button.

EXTERNAL DEVICES

The next section is External, which lists devices compatible with the FltPlan Go program.

NOTE: *The desired External device must be connected to the iPad via Settings. Once the connection has been established, the device will be visible for the User to select within the list of External devices. For an updated list of compatible devices, please click on the following link: https://www.fltplan.com/FltPlanConnectivityOptions.pdf*

NOTE: *When a connection is made with a Stratus 3, it will automatically switch to GDL90 Mode to work with FltPlan Go.*

NOTE: *To connect an ADS-B device, ensure the iPad is connected to the unit via Bluetooth or Wi-Fi. Once connected, touch the External tab and select the unit within the list of External devices.*

NOTE: *If the iPad disconnects from the ADS-B unit, FltPlan Go will automatically reconnect to the last unit used.*

Connecting to External GPS Unit:

1) Ensure the most recent version of FltPlan Go is downloaded.

2) Connect the External GPS to the device via Wi-Fi or Bluetooth.

3) Ensure **Location Services** is enabled for FltPlan Go in the iPad's Settings.

4) Open FltPlan Go.

5) Touch the **External** Tab and verify the Internal GPS is enabled. Please wait for the Latitude and Longitude to populate.

6) Touch **Maps** > **Options** > **Enable Ship Position.**

Connecting to ADS-B Unit:

1) Ensure the most recent version of FltPlan Go is downloaded.
2) Connect the ADS-B unit to the device via Wi-Fi or Bluetooth.
3) Open FltPlan Go.
4) Touch the **External** Tab.
5) Select the desired ADS-B unit and wait for the 'Connected' message to appear in the top right corner.
6) Once connected, touch the **Maps** Tab.
7) Touch **ADS-B** in the top right corner, then select the desired information to display on the Map.

NOTE: *When located in a high traffic area, disabling the 'yellow' aircraft (the furthest away) may help declutter the Map by displaying only the 'orange' and 'red' aircraft, which are closer.*

SIMULATORS

The next section is Simulators, which lists the devices compatible with the FltPlan Go program.

NOTE: *To connect a Simulator, ensure the system is turned on, touch the External tab, and select the unit within the list of Simulators.*

Connecting to X-Plane:

1) Ensure the most recent version of FltPlan Go is downloaded.
2) Ensure the latest version of X-Plane is installed.
3) Ensure the device running FltPlan Go and the computer running X-Plane are on the same wireless network.

NOTE: *Only one (1) X-Plane user is allowed per network.*

4) Open X-Plane on the computer.
5) Load a flight.
6) Touch **Settings** > **Net Connections** > **iPhone/iPad.** Verify all options are toggled 'On'.
7) Use the default port and leave the IP field empty.
8) **Close** the Settings Menu.
9) Open FltPlan Go app on the device.
10) Touch **External Tab** > **X-Plane** (under Simulators). Wait until status reads 'Connected'.
11) Touch **Maps Tab** > **Options** > **Enable Ship Position** > **Toggle Breadcrumbs**.

The connections should now be set, allowing the User to start the flight on X-Plane while viewing the position in the FltPlan Go program.

Connecting to Flight Simulator X or Prepare3D:

1) Ensure the most recent version of FltPlan Go is downloaded.
2) Ensure the latest Service Pack is installed.
3) Go to www.fltplan.com/fsx.htm to download the **FltPlan Go GPS** file on the computer that will be used with FSX or Prepar3D.
4) Once the FltPlan Go GPS file downloads, extract **FSX.zip,** then run '**setup.exe**' and follow the on-screen instructions.
5) For Steam users, locate the extracted FSX.zip file and click on **Steam SDK > SimConnect.msi**, then run SimConnect.msi and follow the on-screen instructions.
6) Open FSX or Prepar3D and enter the flight information.
7) Prior to starting the flight in FSX or Prepar3D, open the **FltPlan Go GPS file > Connect to FSX**, then wait for a connection.

NOTE: A connection will be evident when messages are being sent.

8) Open FltPlan Go app on the device.
9) Touch **External Tab > FSX & Prepar3D** (under Simulators). Wait until status reads 'Connected'.
10) Touch **Maps Tab > Options > Enable Ship Position > Toggle Breadcrumbs.**

The connections should now be set, allowing the User to start the flight on FSX or Prepar3D while viewing the position in the FltPlan Go program.

PREFERRED DEVICES

Preferred devices can be viewed by touching ⚙ in the upper right corner of the External Devices page. After being connected, a unit/device will automatically populate the Preferred Devices list and FltPlan Go will auto-reconnect to that unit/device.

Updating Preferred Devices:

1) Touch the **External Tab**.
2) Touch ⚙ **> Edit**.
3) Touch the three (3) lines next to the unit/device and move them to the desired location in the list.

CHECKLISTS

✓ Checklist

The Checklist icon is sixth on the Home Menu. Any checklists associated with the account, i.e. Garmin, will be listed with ✓ above the aircraft. Touch ✓ to view all applicable checklists for that aircraft.



FltPlan Checklist

Checklists for account GARMIN

N2345B

To add or change a Checklist go to FltPlan.com

Touch to View Checklists

Touch to Refresh

Touch to View

FltPlan Go - Checklists Page

CHECKLIST FOR AIRCRAFT

After selecting the desired aircraft, all applicable checklists will be listed. Touch the desired aircraft checklist, i.e. 'Exterior - Cockpit - Cabin Checks'. At the top of the screen, touch ← to navigate to a previously viewed checklist or touch → to navigate to the next checklist in sequence.

CHECKING OFF ITEMS

The first checklist item to complete will be listed at the top, with the action listed below, i.e. 'Pax Briefing Cards (Item) Located Each Seat (Action).

Touch **Done** beneath the action when the item has been completed. A ✓ will be displayed to indicate the checklist item has been successfully completed.

SKIPPING ITEMS

Touch ⏩ to skip a checklist item. A ✓ will be displayed to indicate the checklist item has been skipped. Continue throught the remainder of the checklist as necessary, then, when reaching the end, any skipped items will be emphasized for completion. Once all checklist items are completed, a pop-up window will appear with an prompt stating "You have completed your current checklist". Touch **Continue** to proceed to the next checklist in sequence.

TEXT TO SPEECH

Touch the button next to '**Text to Speech**' to toggle On/Off, as desired. When enabled, the green circle will be visible, which enables the feature to audibly read the two lables (Item and Action) for any checklist item.

***NOTE:** Please ensure the volume is at an adequate level on the device to properly use the Text to Speech feature.*

RESET LIST

Touch the **Reset List** button to restore all the checklist items to the deafult 'unselected' status.



Touch to View Previous Page
Touch to Reset List
Touch to View Previous Checklist
Touch to View Next Checklist
Checklist Item
Checklist Action
Touch When Completed
Touch to Skip Item
Touch to Reset List
Touch to Toggle On/Off
Successfully Completed Checklist Item
Skipped Checklist Item
Scroll to View Additional Items

Checklist for N2345B

EXTERIOR - COCKPIT - CABIN CHECKS

1 Skipped Item(s)

PAX BRIEFING CARDS

LOCATED EACH SEAT

Text to Speech ○

Current Checklist Status

- FLAPS 20 / EXTERIOR CHECK / ACCUMULATORS ✓
- AIRCRAFT DOCUMENTS AND MANUALS ✓
- PORTABLE FIRE EXTINGUISHERS ✓
- FLASHLIGHTS (2) ✓
- FIRST AID KIT ✓
- PAX BRIEFING CARDS ✓
- COCKPIT OXYGEN PRESSURE / MASKS ✓
- SMOKE GOGGLES ✓
- CONTROL LOCK ✓
- STANDBY ATTITUDE INDICATOR ✓
- EMERGENCY LIGHTING ✓
- FUEL COMPUTERS ✓
- ALL OTHER SWITCHES ✓
- CIRCUIT BREAKERS ✓
- BATTERY ✓

FltPlan Go - Checklists - Skipped Item

CREATING CHECKLIST ON FLTPLAN.COM

***NOTE:** The User can only create or edit a checklist from either the FltPlan.com Tab in FltPlan Go, or on the FltPlan.com website.*

Log Into FltPlan.com: When connected to the internet, log into FltPlan.com with a username and password.



FltPlan.com - Home - Tools

Viewing Checklist Tutorial:

1) From the Main Menu, click **Tools** > **Checklist**.
2) Click **Tutorial** to view a Checklist Tutorial pdf. in a separate browser window.



Click to View

Click to View Checklist

Click to Edit Checklist

Click to Add Checklist

FltPlan.com - Tools - Checklist Selection

Adding Checklist:

1) From the Main Menu, click **Tools** > **Checklist**.
2) Click **Add** next to the desired Checklist, i.e. N2345B.
3) Select the Aircraft Category, **Single Engine Piston, Multi Engine Piston, Turbo Prop, Jet**, or **Helicopter**.
4) Select the Manufacturer's Checklist or User Created Checklist, as desired.
5) The User will be redirected to the Checklist Selction page. Click **View** next to the desired Checklist.



Select Aircraft Category

Enter Info

Click to Copy Profile

FltPlan.com - Tools - Add Checklist Category



Click to Create Checklist

Select Manufacturer's Checklist

Select User Checklist

Manufacturer's Checklist

- BOMBARDIER – BD 700 GLOBAL EXPRESS
- BOMBARDIER – CHALLENGER 604
- BOMBARDIER – CL30 CHALLENGER 300
- CESSNA – 525C CJ4
- GULFSTREAM – G200
- GULFSTREAM – G280
- GULFSTREAM – G450
- LEARJET – 45

User Created Checklist

- BOMBARDIER – GLOBAL 6000
- CESSNA – 650 CITATION III
- CESSNA – S550 CITATION S II
- CHALLENGER – 601-3A
- FALCON – 50 M 80
- LEARJET – 40XR

FltPlan.com - Tools - Jet Checklists

Adding Custom Checklist:

1) From the Main Menu, click **Tools** > **Checklist**.
2) Click **Add** next to the desired Checklist, i.e. N2345B.
3) Select the Aircraft Category, **Single Engine Piston, Multi Engine Piston, Turbo Prop, Jet**, or **Helicopter**.
4) Click **Create Custom Checklist**.
5) Click **Add New Category** in the Standard Checklist window, or the Emergency Checklist window.



Click to Add Standard Checklist Category

FltPlan.com - Checklists - Custom - Standard

6) Enter a Category Name, then click **Save Category**. The Category Name will now be listed, i.e. 'Checklist TEST'.



Add New Standard Category

Category Name ADD NEW

Click to Enter Info

Click to Save

FltPlan.com - Checklists - Custom - Standard - Add New Category

7) Click **Add New Item**.



Checklist - TEST -

Click to Sort *Checklist Name* *Click to Edit*

Click to Add *Click to Print*

FltPlan.com - Checklists - Custom - Standard - Add New Item

8) Enter a title for the checklist **Item**, i.e. 'Cabin Preparation'.

9) Enter a description for the checklist **Action**, i.e. 'Vacuum and clean cabn'.

10) Click **Add Item/Action**.



Edit Category - TEST - NEW

Item Cabin Preparation

Action Vacuum and clean cabin.

Click to Enter Info

Click to Add

FltPlan.com - Checklists - Custom - Standard - Add New Item - Details

11) The User will be redirected to the Custom Checklist with the new Item/Action displayed. To add a new Item/Action, click **Add New Item**.

12) Click **Edit** next to the Item/Action and/or the Checklist Title to adjust, as desired.

Click to Edit



Click to Add *Click to Print* *Click to Edit*

FltPlan.com - Checklists - Custom - Standard - New Item Added

13) Click **Sort Checklist**, then adjust the order by clicking ^ or ˅.

14) Once the Checklist has been sorted, click **Checklist Display** to save.

Click to Move Down



Click to View *Click to Move Up*

FltPlan.com - Checklists - Custom - Standard - Sort Checklist

15) When the Custom Checklist is complete, click **Print Checklist** to display the checklist in 'Printer Friendly' format in another browser window.

16) Click **Checklist Menu** to return to the Main Checklist Page. The Custom Checklist is now able to sync with FltPlan Go.

17) To view the new Checklist in FltPlan Go, launch the FltPlan Go app, then touch **Checklist** > **Refresh**.

Edit Checklist:

1) From the Main Menu, click **Tools** > **Checklist**.

2) Click **Edit** next to the desired checklist, i.e. N2345B.

3) Click ✎ to display Edit Options.

Click to Edit



Click to Delete

FltPlan.com - Checklists - Edit or Delete

4) Click **Add New Category** in the Standard Checklist window, or the Emergency Checklist window.

5) Enter a Category Name, then click **Save Category**.

6) Click **Sort Categories**, then adjust the order by clicking ▲ or ▼.

7) Click **Select** next to the desired checklist item and edit/adjust information, i.e. 'Before Start'.



Standard Checklist

EXTERIOR - COCKPIT - CABIN CHECKS
DELAY BEFORE FLIGHT WITHOUT APU - GPU
BEFORE START
STARTING ENGINES
BEFORE TAXI
TAXI
BEFORE TAKEOFF
CLEARED FOR TAKEOFF
CLIMB
FLIGHT LEVEL 1 8 0 CHECK - CRUISE
DESCENT - FLIGHT LEVEL 1 8 0 CHECK
APPROACH
BEFORE LANDING
TWO ENGINE GO AROUND
AFTER LANDING
CLEAR OF RUNWAY
SHUTDOWN
QUICK TURN

Click to Edit

FltPlan.com - Checklists - Edit

8) Click **Edit** next to the desired checklist item and edit/adjust informatoin, i.e. 'I Pads / Hot Spot'.



Checklist - BEFORE START - Edit

Sort Checklist

	Item	Action	
1	PARKING BRAKE / CHOCKS	HYDRAULIC PRESSURE REQUIRED / SET / REMOVED	Edit
2	I PADS / HOT SPOT	ON BOARD	Edit
3	CABIN DOOR	CLOSED / LOCKED / VERIFIED	Edit
4	TEXT OPERATIONAL CONTROL BLOCK OUT	SENT	Edit
5	CELL PHONES	AIRPLANE MODE	Edit
6	PASSENGER BRIEFING	COMPLETED	Edit
7	SEATS / SEATBELTS / HARNESS	ADJUSTED / SECURE	Edit
8	STANDBY ATTITUDE INDICATOR	ON / CAGED	Edit
9	EMERGENCY LIGHT SWITCH	ARM	Edit
10	BATTERY SWITCH	BATT	Edit
11	GENERATORS	OFF FOR G P U START / GEN	Edit
12	FUEL COMPUTERS	NORM AFTER 10 SECONDS BATTERY ON	Edit
13	PASSENGER ADVISORY LIGHTS	PASS SAFE	Edit
14	NAV AND REC LIGHTS	ON	Edit
15	AVIONICS POWER	AS REQUIRED	Edit

Click to Edit

FltPlan.com - Checklists - Edit - Before Start

9) Click **Save Item/Action**, or **Delete Item/Action**, as desired. The updated Item/Action will now be included in the checklist.

Click to Edit Info



Edit Category - BEFORE START - 2

Item I PADS / HOT SPOT

Action ON BOARD / PROPER CHARGE

Click to Save *Click to Delete*

FltPlan.com - Checklists - Edit - Before Start - iPads



Checklist - BEFORE START - Edit

Sort Checklist

	Item	Action	
1	PARKING BRAKE / CHOCKS	HYDRAULIC PRESSURE REQUIRED / SET / REMOVED	Edit
2	I PADS / HOT SPOT	ON BOARD / PROPER CHARGE	Edit
3	CABIN DOOR	CLOSED / LOCKED / VERIFIED	Edit

Updated Action

FltPlan.com - Checklists - Edit - Before Start - iPads - Edited

10) Click **Checklist Menu** to return to the Main Checklist Page. The edited Checklist is now able to sync with FltPlan Go.

11) To view the newly modified Checklist in FltPlan Go, launch the FltPlan Go app, then touch **Checklist** > **Refresh**.

Delete Checklist:

1) From the Main Menu, click **Tools** > **Checklist**.

2) Click **Edit** next to the desired checklist, i.e. N2345B.

3) Click ✖ to Delete the checklist.

4) There will be a prompt to confirm, click **OK** to delete the checklist, or **Cancel** to exit without deleting.

BINDERS

The Binders icon is seventh on the Home Menu. Here the User can create flight specific binders with customized information related to many things, including documents, procedures, airports, NavLogs, and weather. In the top left corner of the Binders Header Menu, there are four buttons, **Edit**, **My First Binder** (if you already have binders associated with the current account, the name of the most recent binder will be displayed), and ⇆.

EDIT BINDERS

Touch the **Edit** button to arrange or delete files. When files are already in the binder, the files will start to shake, and a grey 'X' will appear in the upper left corner of each file. To Delete a file, tap on the grey 'X' in the upper left corner of the file.

Touch to Edit

Binder Title

Touch to Share/Save

Touch to Add Binder

Touch to Delete File

Touch to View



FltPlan GO - Binders - Edit

MY BINDERS

The second button in the Binders Banner Menu is My Binders. If binders exist for the current account, the button will appear as the name of the first listed or most recently viewed binder.

Touch the **My Binders button** to veiw a drop-down menu with an **Edit** button in the left corner, and a **'+'** in the right corner, along with **Documents**, **My First Binder**, and any additional binders associated with the account.



FltPlan GO - My Binders - Documents

EDIT MY BINDERS

Touch the **Edit** button in the left corner of the My Binders drop-down menu to adjust the order and/or delete binders.

To adjust the order, touch to the horizontal lines next to the binder title, then slide to adjust the order/sequence.

To delete the binder, touch ⊖ > **Delete** next to the binder title.

After all adjustments have been made, touch **Done** to close.



FltPlan GO - Binders - My Binders - Edit

Add to My Binders

Touch the '**+**' in the right corner of the My Binders drop-down menu to display a pop-up window to Add New Binder. Enter the new title for the binder, then touch **OK** to save or touch **Cancel** to close without saving. The new binder will now be visible in the My Binders drop-down menu.



FltPlan GO - Binders - My Binders - Add New Binder

DOCUMENTS

Touch **Documents** to view saved documents associated with the account.

***NOTE:** To delete or download Documents, please go the the Downloads Tab. Once the files are successfully downloaded, they will appear in the Documents binder.*

MY FIRST BINDER

Touch **My First Binder > Add** to display a drop-down menu listing binder options, such as; Procedures, Airport, AF/D, Documents, NavLog, Weather Brief, FltTrack Tail Number, and Scratchpad Doodle**.** Add the desried items to the binder to autogenerate the binder title and save for future reference.



FltPlan GO - Binders - Add to Binder

ADD TO BINDER

After a binder has been selected, touch the **Add** button in the upper right corner to display a drop-down menu listing binder options, such as; Procedures, Airport, AF/D, Documents, NavLog, Weather Brief, FltTrack Tail Number, and Scratchpad Doodle. Add the desried items to the binder to autogenerate the binder title and save for future reference.

VIEWING BINDER FILES

After a binder has been selected, a list of applicable files will be visible in thumbnail format. If the file is a procedure associated with the airport, a descriptive banner will be overlayed, i.e. 'Procedure'. Touch the desired thumbnail to view the file in full-screen mode.

NOTE: *If the slected document is not current, a pop-up window will appear stating such. Touch* ***View Non-Current Plate*** *or* ***Download Current****, as desired.*

NOTE: *A connection to Wi-Fi or cellular network must be established to ensure current chart/procedure information.*



Warning
Plate Not Current

Touch to View

Touch to View

Touch to Download Current Plate

FltPlan GO - Binders - My Binders - Plate Not Current

SHARE/SAVE

Touch ⇆ within the Binders section to display a drop-down menu listing available sharing and/or storage options (i.e. AirDrop, Chrome, Drive, etc.).

Touch **Edit Actions** to adjust file saving settings.

NOTE: *If the AirDrop option is selected, the program will scan for discoverable devices within 25 feet.*

UPLOADING FILES TO FLTPLAN GO

Uploading files, such as a pdf, to FltPlan Go, can be accomplished only if the files were loaded to the same FltPlan.com account.

Uploading PDF to FltPlan Go:

1) In the FltPlan Go program, touch **Downloads > Documents.**
2) Any documents uploaded via FltPlan.com will be visible. Touch the desired document to upload to the device.
3) Once the file is successfully uploaded, touch **Binders > My Binders**, then select the desired document to view.
4) Touch the **Add** button in the top right corner **> Add Documents.**
5) Select the PDFs uploaded from FltPlan.com, then touch the desired files to save to the Binder.

NOTE: *Once downloaded, Procedures, Airports, AF./D's, Documents, NavLogs, and Scratchpad documents can be viewed offline.*

NOTE: *In order to view the latest Weather, update a document, or use FltTracking, a Wi-Fi or cellular network connection must be established.*

WEATHER

The Weather icon is eighth on the Home Menu, and displays the Weather Page, which includes the following items:

- Departure / Arrival Airport METARs, Forecast, and NOTAMS
- Nearby Airport Departure / Arrival NOTAMs
- Nearby Departure / Arrival Airport Weather
- Enroute PIREPs, METARs, and TAFs.

The Banner Menu within the Weather section contains two buttons, **Refresh** and **My Airports / Routes**.



Certified Weather UTC request time:03/04/2022 16:03z

Current METAR Grid

Airport	Ceiling	Visibility	Wind Speed	Temp	METAR
KLWC ➔ KMSP					
KLWC	🟢	🟢	🟢	🟢	KLWC 041552Z AUTO 12009KT 10SM CLR 11/03 A3008 RMK AO1 SLP189 T
KFOE	🟢	🟢	🟢	🟢	KFOE 041553Z 14009KT 10SM CLR 12/03 A3005 RMK AO2 SLP176 T011700
KBIE	🟢	🟢	🔵	🟢	KBIE 041535Z AUTO 13012G17KT 10SM CLR 07/01 A2997 RMK AO2 T00690
KSTJ	🟢	🟢	🟢	🟢	KSTJ 041553Z 13010KT 10SM CLR 07/M01 A3011 RMK AO2 SLP200 T00671
KFNB	🟢	🟢	🔵	🟢	KFNB 041553Z AUTO 13013G22KT 10SM CLR 06/M01 A3005 RMK AO2 SLP
KDSM	🟢	🟢	🔵	🟢	KDSM 041554Z 13013KT 10SM FEW200 BKN250 OVC300 01/M04 A3018 RM
KOMA	🟢	🟢	🔵	🟢	KOMA 041552Z 13016KT 10SM SCT200 OVC250 04/M03 A3004 RMK AO2 P
KCIN	🟢	🟢	🔴	🟢	KCIN 041555Z AUTO 13022KT 10SM CLR 01/M03 A3009 RMK AO2
KMIW	🟢	🟢	🔵	🟢	KMIW 041553Z AUTO 12015KT 10SM CLR 01/M06 A3022 RMK AO2 SLP245
KFOD	🟢	🟢	🔵	🟢	KFOD 041556Z AUTO 13014G25KT 10SM CLR 02/M06 A3016 RMK AO2 SLP
KMCW	🟢	🟢	🔵	🔵	KMCW 041553Z AUTO 12018G27KT 10SM CLR 00/M08 A3022 RMK AO2 PK
KSPW	🟢	🟢	🔵	🟢	KSPW 041553Z AUTO 13020G31KT 10SM CLR 01/M06 A3010 RMK AO2 PK
KOTG	🟢	🟢	🔵	🔵	KOTG 041556Z AUTO 12017G26KT 10SM CLR M01/M07 A3008 RMK AO2 P
KMKT	🟢	🟢	🔵	🔵	KMKT 041556Z AUTO 11015KT 10SM CLR M01/M06 A3022 RMK AO2 SLP25
KFRM	🟢	🟢	🔴	🔵	KFRM 041556Z AUTO 13022KT 10SM CLR M01/M06 A3016 RMK AO2 SLP23
KRWF	🟢	🟢	🔵	🔵	KRWF 041553Z AUTO 13014G24KT 10SM CLR M01/M06 A3017 RMK AO2 SL
KMSP	🟢	🟢	🔵	🔵	KMSP 041553Z 11011KT 10SM OVC065 M02/M13 A3029 RMK AO2 SLP271 T

View Weather for KLWC ➔ KMSP

METARS - KLWC Current Time: 16:03Z

```
KLWC 041552Z AUTO 12009KT 10SM CLR 11/03 A3008 RMK AO1 SLP189 T01110033
KLWC 041452Z AUTO 12009KT 10SM CLR 07/02 A3011 RMK AO1 SLP198 T00670017 58003
KLWC 041352Z AUTO 10006KT 10SM CLR 03/01 A3011 RMK AO1 SLP200 T00330006
```

FltPlan GO - Weather

REFRESH DATA

Located in the upper left corner of the Weather Page, the **Refresh** button allows the User to import data frequently to ensure accurate information prior to departure. Each time the Refresh button is selected, a timestamp entitled Certified Weather towards the top of the page will update with the UTC request time (MM/DD/YYYY & Zulu Time).

MY AIRPORTS / ROUTES

Located in the middle of the Banner Menu within the Weather section, the **My Airports / Routes** button allows the User to Edit or Add information.



FltPlan GO - Weather - My Airports / Routes

Sorting My Airports / Routes:

1) From the My Airports / Routes menu, touch **Edit.**
2) Touch the three horizontal lines to the right of the Airport / Route, then drag to the desired location within the list.
3) Touch **Done** to close.

Deleting My Airports / Routes:

1) From the My Airports / Routes menu, touch **Edit.**
2) Touch ⊖ > **Delete** next to the Airport / Route.
3) Touch **Done** to close.

Adding Location:

1) From the My Airports/Routes menu, touch '+' > **Location**.
2) Enter the Airport ID (ICAO), i.e. KLWC.
3) Touch **Add** to save and continue.

Or Touch **Cancel** to exit without saving.

Adding Route:

1) From the My Airports/Routes menu, touch '+' > **Route**.
2) Enter the Departure Airport ID (ICAO), i.e. KLWC.
3) Enter the Arrival Airport ID (ICAO), i.e. KMSP.
4) Touch **Add** to save and continue.

Or Touch **Cancel** to exit without saving



FltPlan GO - Weather - My Airports / Routes - Add - Location & Route

FLIGHT TRACKING

The Tracking icon is ninth on the Home Menu, and displays the available aircraft ID's the User set-up for flight tracking. The Banner Menu within the Tracking section contains three buttons, **Refresh**, **My Aircraft** (or the most recently viewed aircraft ID, (i.e.N372GG)**,** and the name of the active **Account**, (i.e. Garmin).



Current or Last Flight: 102 Days Ago Date: **11/22/21 Mon** Depart: **KIXD** Arrive: **KTOP** Depart Time: **14:08** Arrive: 1

Last Updated: 03/04/2022 20:47Z

Flight #	Departure Airport	Departure Time	Arrival Airport	Estimated Arrival Time	Tim
N372GG	KIXD	11/22/2021 2:08 PM	KTOP	11/22/2021 3:05 PM	-

Touch to View My Aircraft

Touch to Refresh Data

Touch to Logout, Add, or Switch Account

Scroll to View Additional Info

Touch to View on Map

FltPlan GO - Tracking - Main

REFRESH DATA

In the upper right corner of the Banner Menu within the Tracking section, touch **Refresh** to update the data displayed. A timestamp is created and displayed in the bottom right corner in the following format: Type of data imported (i.e. Weather), Month, Day of the Month, Yeart, and HH:MM (Zulu).

MY AIRCRAFT

The second button on the Banner Menu is My Aircraft. Touch this button and a drop-down menu will appear, listing available aircraft.

***NOTE:** If the 'My Aircraft' list is empty/blank, the applicable account does not have any tracking services set-up. Touch '+' to Add a new aircraft.*



N372GG
N839CT
N9193H
N2345
N861PP

Touch to View My Aircraft

Touch to Edit

Touch to Add

Touch to Select

FltPlan GO - Tracking - My Aircraft

Sorting My Aircraft:

1) From the My Aircraft menu, touch **Edit.**

2) Touch the three horizontal lines to the right of the Aircraft ID, then drag to the desired location within the list.

3) Touch **Done** to close.

Deleting My Aircraft:

1) From the My Aircraft menu, touch **Edit.**

2) Touch ⊖ > **Delete** next to the Aircraft ID.

3) Touch **Done** to close.

Adding Aircraft:

1) From the My Aircraft menu, touch '+'.

2) Enter the Aircraftt ID, i.e. N372GG.

3) Touch **Add** to save and continue.

Or Touch **Cancel** to exit without saving.

FLIGHT TRACKING MAP

After an aircraft has been added, touch My Aircraft to view the drop-down menu, then select the desired Aircraft ID from the list to display the Flight Tracking Map. The User can now view additional details regarding specific flights per aircraft, which includes the following information:

- Flight Number (if applicaable)
- Departure Airport
- Departure Time
- Arrival Airport
- Estimated Arrival Time
- Time to Arrival
- Status
- Altitude (ft)
- Ground Speed (knots)
- Equipment

SWITCHING AIRCRAFT

While viewing the flight tracking map, the User can switch the aircraft by touching the **My Aircraf**t button in the top, center of the page. Select the desired Aircraft ID to switch and view flight tracking information.

MAP OPTIONS

While viewing the flight tracking map, the User can toggle various menu's to adjust the data displayed, a vertical Flight Tracking menu, and a horizontal Map Options display menu.



N372GG Landed - Last seen 3.4 months ago

Departure
KIXD OLATHE, KS
Arrival
KTOP TOPEKA, KS

Depart Actual	Arrival Actual
11/22/21 2:08 PM CST	11/22/21 3:05 PM CST

Depart Filed	Arrival Filed
11/22/21 2:15 PM CST	11/22/21 2:34 PM CST

Flight Time
Actual - 0:57

Model	Type
C172	Piston Single Engine

Filed Route ▾
Amended Route ▾

Not Following Airplane

N372GG KTOP
Last seen 3.4 months ago
15:05 CST

Weather: Nov 22, 2021 20:08 UTC
Hover for Key

Touch to Refresh Data

Touch to Hide/ View Menu

Touch to View My Aircraft

Touch to View Map Options

Touch to Logout, Add, or Switch Account

Touch to View Info

Touch to Enter & Search Aircraft ID

Touch to Zoom In/Out

Touch to Expand/ Collapse

Touch to Toggle On/Off

Touch to View

Arrival Airport

Route of Flight

Departure Airport

Touch to View Legend

FltPlan GO - Tracking - Flight Details

FLIGHT TRACKING MENU

The first menu is the vertical display on the lefthand side, which lists the following information:

- Aircraft ID and status (i.e. Landed).
- Departure & Arrival Airport
- Depart Time & Arrive Time Actual
- Flight Time
- Aircraft Model (i.e. C172) & Type.
- Filed & Amended Route.
- Flight Tracking Status. If an aircraft is not being tracked, 'Not Following Airplane' will be displayed with a red background. If an aircraft is being tracked, 'Following Airplane' will be displayed with a green background.



FltPlan GO - Tracking - Flight Details - Map Legend

MAP OPTIONS MENU

While viewing the flight tracking map, touch Map Options towards the top of the screen, below the Banner Menu, to view the following display settings:

- Display Airports
- Light/Dark Map
- Display Routes (None, Airborne, or All)
- Display Day/Night

Adjust the settings as desired, then touch the dark blue FltPlan.com banner to close the Map Options menu.

Touch to Toggle On/Off *Touch to Adjust* *Touch to Toggle On/Off*

Touch to Expand/ Collapse



Touch to Expand/Collapse

FltPlan GO - Tracking - Flight Details - Map Options Banner Menu

TOOLS

TOOLS

The Tools icon is tenth on the Home Menu, and displays two groups of icons, Tools & Calculators. The Tools group consists of the following items:

- eLogbook
- PDC Service
- Cloud Tops
- W&B
- Contacts

The Calculators group consists of the following items:

- Numeric
- C° <-> F°
- Temperature
- Density Altitude
- Conversions
- Equal Time
- Winds
- Airport Winds



FltPlan GO - Tools - Main

ELOGBOOK

From the Tools Tab, touch eLogBook to view the eLogbook page, where the User can add/view Logbook entries via four categories, Info, Piloting, Conditions, and Aircraft Class.

LOG-IN

***NOTE:** First time users must register their pilot license number with the FltPlan.com Logbook by visiting logbook.fltplan.com before adding their pilot license number to FltPlan.com. Upon completion, the information will be available in FltPlan Go.*

Logging Into eLogbook:

1) Touch **Tools** > eLogBook.
2) Enter Pilot Name, License (Certificate) Number, and Password.
3) Touch **Go** to save and contintue.

Or Touch **Cancel** to exit without saving.



First Time Users: Please register your license number with the LogBook by visiting Logbook.FltPlan.com before adding your license number to the FltPlan.com website.

FltPlan GO - Tools - eLogbook - Log In

Entering eLogbook Info:

1) Touch **Tools** > eLogBook.
2) Complete Log-In process.
3) Touch the **Info** tab.
4) Touch ✈ to change aircraft profile.
5) Enter the Date (YYYY-MM-DD).
6) Enter the Aircraft Registration Number (ID).
7) Enter the Aircraft Make / Model.
8) Enter the Departure Airport (ICAO ID).
9) Enter Enroute fixe(s).
10) Enter the Arrival Airport (ICAO ID).
11) Enter the Estimated Time Enroute in the 'Duration' data field (HH:MM).
12) Touch the **Log Entry** button to save to the eLogbook.



Date
2022-03-07
Duration
Duration
Aircraft Registration #
Aircraft Registration #
Aircraft Make / Model
Aircraft Make / Model
Departure
Departure
Enroute
Enroute
Arrival
Arrival

FltPlan GO - Tools - eLogbook - Log Entry - Info

Entering eLogbook Piloting Info:

1) Touch **Tools** > eLogBook.
2) Complete Log-In process.
3) Touch the **Piloting** tab.
4) Touch 'General Aviation' (the button will display the most recent selection) to view options, then select **General Aviation, Corporate, Air Taxi,** or **Scheduled Air Carrier**.
5) Touch 'Pilot' (the button will display the most recent selection) to view options, then select **Pilot** or **Flight Instructor**.
6) Touch 'PIC' (the button will display the most recent selection) to view options, then select **PIC, SIC**, or **Student**.
7) Touch the **Log Entry** button to save to the eLogbook.



FltPlan GO - Tools - eLogbook - Log Entry - Piloting

Entering eLogbook Conditions Info:

1) Touch **Tools** > eLogBook.
2) Complete Log-In process.
3) Touch the **Conditions** tab.
4) Enter the necessary logbook entry info.
5) Touch the **Log Entry** button to save to the eLogbook.



CONDITIONS

☑	Solo	1.8
☐	Dual Received	
☐	Dual Given	
☑	Cross Country	1.8
☑	Cross Country > 50nm	1.8
☑	Day	1.8
☐	Night	
☑	Day Landings	3.0
☐	Night Landings	
☐	IFR	
☑	VFR	1.8
☐	Actual Instrument	
☐	Simulated Instrument	

Touch to View

Touch to Enter Info

Touch to Edit Info

FltPlan GO - Tools - eLogbook - Log Entry - Conditions

Entering eLogbook Conditions Info:

1) Touch **Tools** > eLogBook.
2) Complete Log-In process.
3) Touch the **Aircraft Class** tab.
4) Touch the desired info.
5) Touch the **Log Entry** button to save to the eLogbook.



Touch to View

Touch to Select

FltPlan GO - Tools - eLogbook - Log Entry - Aircraft Class

FltPlan Account
Airports
Maps
NavLogs
External
Checklists
Binders
Weather
Flight Tracking
Tools
Scratch Pad
Downloads
Settings
Index

PRE-DEPARTURE CLEARANCE (PDC) SERVICE

From the Tools Tab, touch PDC Service to view the PDC Service page, where the User can add/view PDC information, such as Tail Number, Departure Airport, and Arrival Airport.



Tail Number: N2345
Departure Airport: KIXD
Arrival Airport: KFTW

Touch to Enter Info

Touch to Delete PDC

Touch to Save PDC

Touch to Remove All PDC's

FltPlan GO - Tools - Pre-Departure Clearance

Entering PDC Info:

1) Touch **Tools** > PDC Service.
2) Enter Aircraft Tail Number (i.e. N2345).
3) Enter Departure Airport (ICAO ID).
4) Enter Arrival Airport (ICAO ID).
5) Touch **Get PDC**. The PDC will now be listed in the Saved PDC's section.

Deleting PDC:

1) Touch **Tools** > **PDC Services**.
2) Touch & Hold the PDC listed in the Saved PDC to Delete.

Or Touch the **Remove All Saved PDC's** button to delete all PDC's.

CLOUD TOPS

From the Tools Tab, touch Cloud Tops and the feautre will access the camera on the device, allowing the User to direct the camera towards the clouds and gather data visually.

Obtaining Cloud Top Info:

1) Touch **Tools** > Cloud Tops.
2) Aim the device, i.e. iPad, outside of the aircraft, with the center, green line touching the top of the clouds.
3) When satisfied, touch the **Lock** button, which prompts the device to take a screenshot.
4) To keep the screenshot, slide the Lock button to the Left or Right to save the screenshot.

Or Repeat step 3 until the desired screenshot is captured.

5) Set the aircraft altitude by touching Aircraft Altitude, then scrolling until reaching the current altitude.
6) Set the distance (nm) by touching Distance and scrolling until reaching the current distance from the cloud tops.

No need to adjust the angle, it is automatically determined by the device camera. On the top of the screen, the center number displays the cloud height above Mean Sea Level (ft). The smaller numbers located above and below the MSL cloud height represent a margin of error of 0.1° in either direction.The number to the right of center displays the height of the clouds relative to the current aircraft location (ft). The distances will display green when flying above clouds, red when headed into/below clouds, and orange when close to clouds.

WEIGHT & BALANCE

***NOTE:** Weight & Balance profiles are automatically synced from the User's FltPlan.com account. To add or edit an aircraft W&B profile, please go to FltPlan.com. All W&B profiles will automatically download the first time to allow the User to access them offline.*

From the Tools Tab, touch W & B to view Weight & Balance profiles associated with the active account.Touch the desired aircraft icon to view the current W&B set-up, and enter the necessary information.



To add or edit an Aircraft go to FltPlan.com.

Touch to Change, Add, oo Logout

Touch to View/Edit

Touch to Refresh List

FltPlan GO - Tools - Weight & Balance - Main

Entering Weight & Balance Info:

1) Touch **Tools** > W & B.
2) Touch the desired aircraft icon associated with the aircraft ID (N#).
3) Touch ✈ to view a Top View of the seating arrangement for the particular aircraft.
4) Touch ⓘ to view the Chart Legend.
5) Enter the weight of the pilots, passengers, baggage, and fuel capacity, and fuel burn (lbs or gals).
6) Enter name of the PIC & SIC.
7) Enter the Departure Airport (ICAO ID).
8) Enter the Arrival Airport (ICAO ID).
9) Enter the number of Passengers.
10) Enter info in the Flight Description and/or Pilot Notes, as desired.
11) Toggle the Fuel Units to either **lbs.** or **gals.**, as necessary.
12) Touch the **Calculate** button at the top to display the Weight, Fwd Limit, C.G., Aft Limit, and % of MAC (if applicable). Scroll down to view Max Takeoff Weight (MTOW), the difference between the current weight and the MTOW.

NOTE: If the current weight exceedes the MTOW, the difference will be highlighted in red text. If the current weight is less than the MTOW, the difference will be highlighted in green text.

13) Touch **Clear** to remove all data.
14) Touch **Email** to send the current W&B as an email associated with the active account.



Plane Image Legend

Red Text = Seats Blue Text = Bags Grn Text = Fuel Tank



Chart Legend

Take Off C.G.	🟢
Landing C.G.	🔵
Fuel Burn C.G	🟡
Zero Fuel Plot	🔴
Envelope	▬
Max Ramp Weight	▬
Max Landing Weight	▬
Max Zero Fuel Weight	▬

FltPlan GO - Tools - Weight & Balance - Plane Image Legend & Chart Legend



Touch to Clear Data

Touch to Calculate Data

Touch to View Plane Legend

Touch to View Chart Legend

Touch to Send W&B via Email

Max Zero Fuel Weight

Calculated Info

Enter Info

Touch to Select

Scroll to View Info

N861PP - GARMIN

Seat 1	155
Seat 2	220
Seat 3	150
Seat 4	200
Seat 5	175
Seat 6	250
Seat 7	250
Seat 8	0
Baggage Comp. 1	50
Fuel Tank 1 (2700 lbs.)	1850
Fuel Burn	1200

	Weight	Fwd Limit	C.G.	Aft Limit	% of MAC
Ramp	N/A	N/A	N/A	N/A	N/A
Take Off	9800	231.65	236.30	244.91	N/A
Landing	8600	226.15	236.55	243.67	N/A

Flight Description

Day Trip

PIC: Jill Pilot

SIC: Joe Pilot

DEPT: KF…

ARRV: KBIS

Pilot / Notes: Meetings end appx. 1600

Passengers: 5

AC Performance	PILATUS-PC-12-45
BEW/C.G.	6500/235.00
Fuel Units	lbs. gals.
Fuel Type	JET

FltPlan GO - Tools - Weight & Balance - Data Entry - PC-12

CONTACTS

From the Tools Tab, touch Contacts to view telephone numbers for Airlines, Hotels, and Rental Cars. Select as desired, then touch **Done** to exit.



FltPlan GO - Tools - Contacts

CALCULATORS

Within the Tools Tab, the second group of icons are all various calculators, such as:

- Numeric
- Temperature Conversion
- ISA Temperature
- Density Altitude
- Fuel Conversions
- Equal Time Point
- Runway Wind Calculator
- Airport Winds

NUMERIC

Touch Numeric to display a generic, numeric calculator. Adjust as desired, then touch **Back** to exit.

FAHRENHEIT/CELCIUS TEMPERATURE CONVERSION

Touch C° <-> F° to display a Fahrenheit to Celcius (or vice versa) Converter. Enter a temperature in either the F° or C° text box, and the conversion will autopopulate.



43 Fahrenheit

6°C Celsius

°F = (C * 1.8) + 32

°C = (F - 32) / 1.8

FltPlan GO - Tools - Calculators - Temp Conversion

ISA TEMPERATURE CONVERSION

Touch ISO ISA Temperature to view the ISA Temperature Calculator, where the User can input a Pressure Altitude (ft or meters), and a Temperature (C°), to calculate the ISA Temperature.

Calculating ISA Temperature:

1) Touch **Tools** > ISO ISA Temperature.
2) Enter a Pressure Altitude (ft. or meters).
3) Enter a Temperature (C°).
4) Touch **Calculate**. The autogenerated data is listed below.
5) Touch **Clear** to remove data.
6) Touch **Back** to exit.



Pressure Altitude: 854 ft

Temperature: 6 C°

ISA @ 854 ft
13.3 °C

ISA Deviation
-7 °C

FltPlan GO - Tools - Calculators - ISA Temp Conversion

DENSITY ALTITUDE

Touch Density Alt. to view the Density Altitude Calculator, where User can select an airport to view the Elevation, Altimeter Setting, Pressure Altitude, Outside Air Temperature, and Density Altitude.

Calculating Density Altitude:

1) Touch **Tools** > Density Alt. .
2) Touch the **Airport ID** button, i.e. KOJC, to display a list of airports. Select the desired airport from the list.

Or Touch the **Nearest** button to automatically load the airport nearest the device location.

3) Touch the **Get WX** button to view the latest weather information for the selected airport via FltPlan.com.
4) Enter the Current Altimeter Setting (inHG or mbar).
5) Enter the Outside Temperature (C° or F°).
6) The Pressure Altitude and Density Altitude will be calculated and displayed (ft. or meters).
7) Touch **Back** to exit.



Altitude / Elevation: 1096 ft

Current Altimeter Setting: 30.13 inHg

Pressure Altitude: 904 ft

Outside Air Temperature: 01 °C

ISA (-12) CELSIUS

ISA @904 ft 13.2 °C

Density Altitude: -584 ft

FltPlan GO - Tools - Calculators - Density Altitude Conversion



Forecast

KOJC

Today	Tonight	Thursday	Thursday Night	Friday	Friday Night	Saturday	Saturday Night	Sunday	Sunday Night	Monday	Monday Night	Tuesday
Mostly Sunny	Cloudy	Snow	Snow	Chance Snow	Mostly Clear	Sunny	Mostly Clear	Sunny	Mostly Clear	Mostly Sunny	Mostly Clear	Sunny
High: 44°F	Low: 25°F	High: 28°F	Low: 18°F	High: 34°F	Low: 6°F	High: 36°F	Low: 29°F	High: 59°F	Low: 39°F	High: 58°F	Low: 34°F	High: 66°F

Metar Report

03/09/2022 15:09 UTC

```
KOJC 091453Z 04008KT 10SM CLR 01/M05 A3013 RMK AO2 SLP210 T00061050 50019
KOJC 091353Z 36008KT 10SM CLR M01/M04 A3013 RMK AO2 SLP211 T10061044
KOJC 091253Z 35007KT 10SM CLR M02/M04 A3009 RMK AO2 SLP199 T10171044
```

Temp (C°) & Altimeter

FltPlan GO - Tools - Calculators - Density Altitude Conversion - Get WX

FUEL CONVERSION

Touch Conversions to view the Fuel Conversion page, where the User can select the fuel Type (AVGAS or Jet A), or enter a Custom Fuel Type, then enter the Fuel Amount, Fuel Price, Fuel Required, and Fuel Onboard. Once all the information has been entered, the fuel conversion and Total Price calculation can be viewed in either Pounds or Gallons.

Converting Fuel:

1) Touch **Tools** > Conversions.
2) Touch **Type** to select AVGAS or Jet A

Or Touch **Custom** to enter necessary fuel info.

3) Enter the amount of Fuel on Board.
4) Enter the amount of Fuel Required.
5) Touch the **Calculate** button to display the Fuel Needed. Toggle the **Pounds / Gallons** buttons as necessary.
6) Enter amount of Fuel Needed in the appropriate category, (i.e. Pounds, Gallons, Kilograms, Litres). The other fuel categories will autofill with the proper conversion.
7) Touch the **gal** button (the button will display the most recent selection) to select the unit of measurement, (i.e. gal, lit, lb, kg, IG).
8) Enter the fuel price per unit sold (i.e. $4.75). The Total price will be calculated and displayed (U.S. $).
9) Touch **Back** to exti.



Fuel Type: JET A1 6.7 lb/gal

1700 Pounds (lb)

253.7 Gallons (gal)

771.1 Kilograms (kg)

960.5 Litres (L)

211.3 Gallons (IG)

4.75 per gal

$1205.07 Total

3200 Fuel Required

1500 Fuel on Board

Fuel Needed: 1700 lbs.

Pounds
Gallons
Touch to View/ Edit Custom Fuel Type
Touch to Select Fuel Type
Enter Info
Touch to Delete
Touch to Adjust
Touch to Calculate Fuel Needed
Touch To Select

FltPlan GO - Tools - Calculators - Fuel Conversion

EQUAL TIME POINT

Touch Equal Time to view the Equal Time Point conversion page, where the User can enter the Route to Destination, Ground Speed Forward and Ground Speed Back.

Calculating Equal Time Point:

1) Touch **Tools** > Equal Time.
2) Enter the Route to Destination
Or Toggle the **Use Present Position to Destination** button 'On'.
3) Enter the Ground Speed Forward (knots).
Or Toggle the **Use Actual Ground Speed** button 'On'.
4) Enter the Ground Speed Back (knots).
Or Toggle the **Use Actual Ground Speed** button 'On'.
5) Touch the **Calculate** button. The Equal Time Point will be displayed in Nautical Miles.
6) Touch **Clear** to remove all data.
7) Touch **Back** to exit.



Route to Destination: 708 NM
Use P/P to Dest: KDTW
Ground Speed Forward: 350
Use Actual Ground Speed
Ground Speed Back: 450
Use Actual Ground Speed
ETP: 398.2 NM

Touch to Calculate

Touch to Toggle On/Off

Touch to Calculate

Touch to Clear All Data

FltPlan GO - Tools - Calculators -Equal Time Point

RUNWAY WINDS

Touch Winds to view the Runway Winds Calculator, where User can enter the Runway Number, Wind Direction, Wind Velocity, Wind Gusts, Ref Speed, and set wind limitation Preferences.

Entering/Adjusting Wind Calculator Preferences:

1) Touch **Tools** > Winds > **Prefs.**
2) Touch the desired text box and enter wind velocity (knots) and Target Speed preferences/limitations.
3) Touch **Steady State Wind** or **Head Wind Comp** to enter calculation(s).
4) Touch '-' or '+' to adjust percentage calculation(s) for Steady State Wind or Head Wind Comp, as desired.
5) Touch anywhere outside the Preferences dialogue box to exit, or touch the **Prefs** button to close.



Preferences

Tailwind caution 0
Tailwind limit 10
XWind caution 10
XWind limit 15

Target Speed
Min + 5
Max + 20

Add % of SS/HW Comp.
50%

Touch to View/Edit Preferences

Touch to Enter Info

Touch to View/Adjust

Touch to Adjust

FltPlan Go - Tools - Runway Wind Calculator - Preferences Menu

Entering/Adjusting Wind Information:

1) Touch **Tools** > Winds.
2) Adjust the Slider to the desired number for **Runway Number**. Touch '-' or '+' to make small adjustments.
3) Adjust the Slider to the desired number for **Wind From** (Radial Measure in Degrees, i.e. 090 = From the East, 180 = From the South, etc.). Touch '-' or '+' to make small adjustments.

4) Adjust the Slider to the desired number for **Wind Speed** (Knots). Touch '-' or '+' to make small adjustments.

5) If necessary, adjust the Slider to the desired number for **Wind Gusts** (Knots). Touch '-' or '+' to make small adjustments.

6) If necessary, touch within the '**Ref Speed**' box to enter the desired number (Knots). Touch '-' or '+' to make small adjustments. The **Target Speed** will autocalculate as data is entered/adjusted.

7) Touch **Back** to exit and return to the previous page.



Runway Number: - 33 +
1 18 36

Wind From - 220 +
10 180 360

Wind Speed (knots) - 21 +
0 25 50

Gusting to (Knots) - 28 +
Adjust wind speed to turn off gusting winds.
0 25 50

Ref Speed: - 104 +

Target Speed: 108 kts

Touch to View/Edit

Tailwind Limit Caution

Crosswind Limit Warning

Slide to Adjust

Touch to Adjust

Runway & Relative Wind

FltPlan GO - Tools - Calculators - Runway Winds

AIRPORT WINDS

Touch Airport Winds and enter the Airport ID (ICAO), i.e. KOJC. The User will now be directed to the Runway Wind Calculator, as previously mentioned, but this time the available runways for the selected airport will be listed.

Entering/Adjusting Wind Information:

1) Touch **Tools** > Airport Winds.
2) Enter the Airport ID (ICAO).
3) Select the Desired Runway.
4) Adjust the Slider to the desired number for **Wind From** (Radial Measure in Degrees, i.e. 090 = From the East, 180 = From the South, etc.). Touch '-' or '+' to make small adjustments.
5) Adjust the Slider to the desired number for **Wind Speed** (Knots). Touch '-' or '+' to make small adjustments.
6) If necessary, adjust the Slider to the desired number for **Wind Gusts** (Knots). Touch '-' or '+' to make small adjustments.
7) If necessary, touch within the '**Ref Speed**' box to enter the desired number (Knots). Touch '-' or '+' to make small adjustments. The **Target Speed** will autocalculate as data is entered/adjusted.
8) Touch **Back** to exit and return to the previous page.



Touch to View/Edit

HEAD WIND 2.1

XWIND 5.6

Runway Number 01 For Airport: KLWC

Preferred Runway

1 | 19 | 15 | 33

Runway Wind Warning

Wind From - 300 +

10 180 360

Wind Speed (knots) - 6 +

0 25 50

Gusting to (Knots) - 0 +

Adjust wind speed to turn off gusting winds.

0 25 50

Ref Speed: - 102 +

Target Speed: 105 kts

FltPlan Go - Tools Calculators - Airport Winds Calculation

SCRATCH PAD

The Scratch Pad icon is eleventh on the Home Menu, with seven buttons located in the Header Menu: Clear, Undo, Background, My Doodles, Save, Precise, and Color.



AIRPORT LWC
INFORMATION D
TIME 1352
WIND 130 @ 7 G
VISIBILITY 8
SKY CLR
TEMP 13
DEWPOINT 3
ALTIMETER 29 99
RUNWAY 15
REMARKS

FltPlan Go - Scratch Pad - METAR

MY DOODLES

Creating a Doodle:

1) Touch the **My Doodles** button (the most recent selection will be displayed as the title, i.e. AFD) > **'+'**.
2) Select the desired Doodle Type, **Text, Draw, CRAFT,** or **ATIS**.

Or Touch **Cancel** to exit.

3) Enter the Title of the New Doodle to add the item to My Doodles.
4) Touch the My Doodles button, then select the recently created Doodle.
5) Adjust as desired, then touch **Save.**



FltPlan Go - Scratch Pad - Select Doodle Type

Annotating a Doodle:

1) Touch the **My Doodles** button (the most recent selection will be displayed as the title, i.e. AFD).
2) Select the desired Doodle from the list.
3) Touch **Clear** to remove all annotations.
4) Touch **Undo** to remove the most recent annotation.
5) Touch **Precise** (the most recent penstroke selection will be displayed as the title) to adjust the penstroke size, i.e. Large, Medium, Small, Fine, or Precise.
6) Touch **Yellow** (the most recent color will be displayed as the title) to adjust the penstroke color, i.e. Black, Red, Blue, Green, Yellow, or White.
7) Touch **Save** to save annotations.



FltPlan Go - Scratch Pad - Banner Menu

Viewing My Doodles:

1) Touch the **My Doodles** button (the most recent selection will be displayed as the title, i.e. AFD).
2) Select the desired Doodle from the list.
3) Annotate as desired, then touch **Save.** The Doodle will now be saved to the My Doodles list.



FltPlan GO - Scratch Pad - My Doodles Menu

Sorting My Doodles:

1) From the My Doodles menu, touch **Edit.**
2) Touch the three horizontal lines to the right of the Doodle Title, then drag to the desired location within the list.
3) Touch **Done** to close.

Deleting My Doodles:

1) From the My Doodles menu, touch **Edit.**
2) Touch ⊖ > **Delete** next to the Doodle Title.
3) Touch **Done** to close.



FltPlan GO - Scratch Pad - Edit My Doodles Menu

DOWNLOADS

The Downloads icon is twelfth on the Home Menu, and allows the User to download and update various charts for offline use. Available charts include Maps, Procedures, Documents, and AF/D. The Banner Menu consists of three buttons, Update All, Failed Downloads, and 🗑 (Delete).

UPDATE ALL

Touch the **Update All** button in the Banner Menu to download all available downloads for Maps, Procedures, Documents, AF/D, and Misc.

FAILED DOWNLOADS

Touch the Failed Downloads button to view all unsuccessful downloads. Select the desired download to retry, or touch **Retry All Failed Downloads** (if applicable).



Touch to View Failed Downloads

Touch to Retry All Failed Downloads

FltPlan GO - Downloads - Failed Downloads Menu

DELETE

Deleting Files:

1) Touch 🗑 to display a pop-up window entitled 'Delete Downloaded Files'.
2) Touch the desired section to delete files, i.e. Maps.



Touch to Exit

Touch to View

Touch to Delete All Expired Files

FltPlan GO - Downloads - Delete Menu

3) Touch ❌ next to the desired file to Delete.

Or Touch **Delete All Expired Files**.

4) Touch the 'Back' arrow to return to the 'Delete Downloaded Files' window.

Or Touch **Done** to exit.

Touch to View Previous Menu


Delete Downloaded Files
Done
Jet High
CONUS - H01 Exp: 2022-03-24
CONUS - H01 Exp: 2022-05-19
CONUS - H02 Exp: 2022-03-24
CONUS - H02 Exp: 2022-05-19
CONUS - H03 Exp: 2022-03-24
CONUS - H03 Exp: 2022-05-19
CONUS - H04 Exp: 2022-03-24

Touch to Exit

Touch to Delete

FltPlan GO - Downloads - Delete - Maps - Jet High

MAPS

The Maps section within Downloads allows the User to view, download, and delete a variety of charts, such as:

- Jet High (USA, Canada, and Caribbean)
- Victor Low (USA, Canada, and Caribbean)
- IFR Area Charts (USA and Canada)
- Sectionals (USA and Canada)
- Terminal Aera Charts (USA and Canada)
- Helicopter Charts (KDCA, KBOS, KORD, KDAL, KDET, Gulf, KHOU, KLAX, and New York)
- Reference Maps (North America and World)
- Layers (Airports, State Outline, Civil Air Patrol Grid, and Runway Centerlines)

Downloading Maps:

1) From the Downloads Page, touch **Maps** > **Select**.

Or From the Downloads Page, touch **Maps** > **Update All**.

2) Touch the desired chart on the map to display the Select Map menu.

3) Select the desired chart from the Select Map menu to start the download.

Or Touch **Download All** to download all available charts for the current selection, i.e. Victor Low - USA. The chart queue will scroll across the top of the Downloads screen as the selected items are downloaded.





Touch to Exit

Touch to Download All

Successfully Downloaded

Touch to Download

FltPlan Go - Downloads - Maps - All CAN



Select Map

James Bay

Big Trout Lake

Timmins

Thunder Bay

Sault Ste Marie

Cancel

Touch to Download

Touch to Exit

FltPlan Go - Downloads - Maps - Select CAN

CHART STATUS

Within Maps section of the Downloads Page, the Chart Status is located next to the Select button. When there is an update available, touch the dark blue Update button to start downloading the appropriate data. When the data has downloaded successfully, the button will display Current and change to the color green. When there are expired charts, the Update button will be red.

NOTE: The Chart Status only represents maps that are downloaded.



Tap an icon to download, tap and hold to delete.

Maps 10.31 GB
Procedures 4.24 GB
Misc 259.46 MB
NavLogs 3.40 MB
A/FD 525.24 MB
Other Apps 22.90 GB

Total Space: 59.60 GB
Used Space: 38.22 GB
Free Space: 21.38 GB

FltPlan GO - Downloads - Maps & Device Storage



Legend

🟩	Current	🟥	Expired	🟦	Future	🟦	Current / Future
🟥	Current / Expired			🟧	Important	⬜	Not Downloaded
						🟨	Queued

FltPlan GO - Downloads - Maps - Legend

Downloading Helicopter Charts:

1) From the Downloads Page, touch **Maps**. Scroll down to the Helicopter Charts section.
2) Touch the desired chart ID (Three Letter Airport ID's are listed except for the Gult Coast and the New York City area) to begin downloading. Once complete, the chart ID will be green.

Downloading Reference Maps:

1) From the Downloads Page, touch **Maps**. Scroll down to the Reference Maps section.
2) Touch the desired map, **North America** or **World Map** to begin downloading.

Downloading Layers:

1) From the Downloads Page, touch **Maps**. Scroll down to the Layers section.
2) Touch the desired layer, **Airports Layer, State Outline, CAP Grid,** or **Runway Centerlines** to begin downloading.

PROCEDURES

The Procedures section within Downloads allows the user to view the download/currency status for the U.S. (Current and Future), Canada, and the Caribbean (Current and Future). Touch the desired icon to download the applicable chart(s).

Touch the **Update All** button to download all updates.

Touch the **Download Future Procedures** button to download the upcoming chart cycles (if applicable).

FltPlan Account
Airports
Maps
NavLogs
External
Checklists
Binders
Weather
Flight Tracking
Tools
Scratch Pad
Downloads
Settings
Index



California
Procedures 1 seconds
us 18.98 MB/s

Hawaii
Procedures 10 seconds
us 11.5 MB/s

Nevada
Procedures
us

Tap an icon to download, tap and hold to delete.

US (current edition)

NE CT MA ME NH RI VT
EA DE MD NJ NY PA VA WV
SO AL FL GA KY MS NC PR SC TN VI
GL IL IN MI MN ND OH SD WI
CE IA KS MO NE
NW AK CO ID MT OR UT WA WY
WP AZ CA HI NV
SW AR LA NM OK TX

US (future edition)

NE CT MA ME NH RI VT
EA DE MD NJ NY PA VA WV
SO AL FL GA KY MS NC PR SC TN VI
GL IL IN MI MN ND OH SD WI
CE IA KS MO NE
NW AK CO ID MT OR UT WA WY
WP AZ CA HI NV
SW AR LA NM OK TX

Canada

AB BC MB NB NL NT NS NU ON PE
QC SK YT

Caribbean (current edition)

DR

Maps 17.91 GB
Procedures 4.24 GB
Misc 259.46 MB
NavLogs 3.40 MB
A/FD 525.24 MB
Other Apps 22.93 GB

Total Space: 59.60 GB
Used Space: 45.86 GB
Free Space: 13.74 GB

FltPlan GO - Downloads - Procedures



Legend

🟩 Current 🟥 Expired 🟦 Future 🟩 Current / Future
🟩 Current / Expired 🟧 Important ⬜ Not Downloaded
🟨 Queued

FltPlan GO - Downloads - Procedures - Legend

DOCUMENTS

The Documents section within Downloads allows the user to view the download/currency status of various aviation documents. Imported documents will appear at the top of the list. Touch the desired document title to download. Touch and hold the document title to Delete.



Tap an icon to download, tap and hold to delete.

- 🟩 All Class B Airspace
- ⬜ Anchorage Fly Chart
- 🟩 Atlanta Class B Airspace
- 🟩 Atlanta Fly Chart
- 🟩 Aviation Chart User's Guide
- 🟩 Balt-Wash Fly Chart
- 🟩 Boston Class B Airspace
- ⬜ CANADA WATER AERODROME SUPPL...
- 🟩 CAP GEN Eff 01/27/2022

Legend

🟩 Current 🟥 Expired 🟦 Future 🟩 Current / Future
🟩 Current / Expired 🟧 Important ⬜ Not Downloaded
🟨 Queued

Maps 17.91 GB
Procedures 4.24 GB
Misc 259.46 MB
NavLogs 3.40 MB
A/FD 525.24 MB
Other Apps 22.93 GB

Total Space: 59.60 GB
Used Space: 45.86 GB
Free Space: 13.74 GB

Touch to View

Scroll Up/Down to View

Touch to View

FltPlan GO - Downloads - Documents

A/FD

The A/FD section within Downloads allows the user to view the download/currency status of various AF/D's throughout the U.S. as well as the Canadian Flight Supplement.



Touch to View

Touch to Download

Touch to View

Tap an icon to download, tap and hold to delete.

AK	Alaska	
EC	East Central	IL, IN, MI, OH, WI
NC	North Central	IA, KS, MN, MO, NE, ND, SD
NE	North East	CT, DC, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VA, VT, WV
NW	North West	ID, MT, OR, WA, WY
Pac	Pacific	HI
SC	South Central	AR, LA, MS, OK, TX
SE	South East	AL, FL, GA, KY, NC, SC, TN
SW	South West	AZ, CA, CO, NM, NV, UT
CFS	Canadian Flight Supplement	

Legend

🟩 Current
🟥 Expired
🟦 Future
🟩 Current / Future
🟩 Current / Expired
🟧 Important
⬛ Not Downloaded
🟨 Queued

🟨 Maps 17.91 GB
🟩 Procedures 4.24 GB
🟥 Misc 259.46 MB
🟦 NavLogs 3.40 MB
🟪 A/FD 525.24 MB
🟧 Other Apps 22.93 GB

Total Space: 59.60 GB
Used Space: 45.86 GB
Free Space: 13.74 GB

FltPlan GO - Downloads - A/FD

MISCELLANEOUS

The Misc. section within Downloads allows the user to view the download/currency status of the Airports Database, FBO Icons, and Airport Diagrams. Touch the desired button to start downloading the relevant data.



Tap an icon to download, tap and hold to delete.

Legend

🟩 Current	🟥 Expired	🟦 Future	🟦 Current / Future
🟥 Current / Expired		🟧 Important	⬛ Not Downloaded
			🟨 Queued

FltPlan GO - Downloads - Misc.

SETTINGS

The thirteenth and final icon in the Main Menu is Settings. Here, the User can adjust how the device interacts with the FltPlan Go program, such as:

- Tutorial
- Support
- Current User
- Allow Sleep Mode
- Screen Brightness
- Super Dim
- Allow GPS in Background
- Minimum Runway Length (ft)
- Show Notification Alert
- Messages From FltPlan
- Privacy Policy
- App Version
- Refresh Databaes
- Lock Screen
- Clear Cache
- Turn Off Map Layers
- Unregister From Notifications



Current User GARMIN

Allow Sleep Mode

Brightness

Super Dim

Allow GPS in background

Minimum runway length: 0ft

Show notification alert

Messages from FltPlan

Privacy Policy

Required Documents

App Version: 5.0.19

Touch to View FltPlan Go FAQ

Touch to Compose E-mail to Garmin Support

Touch to Toggle On/Off

Slide to Adjust

Touch to Toggle On/Off

Touch to Select Distance

Touch to Toggle On/Off

Touch to View

Touch to View

Scroll Down to View More Info

FltPlan GO - Settings - Main



FltPlan GO - Settings - Main Cont'd

TUTORIAL

Touch **Tutorial** at the top of the Settings Menu to view the FltPlan Go manual in a browser window.

SUPPORT

Touch **Support** at the top of the Settings Menu to draft an email to Garmin iOS Support via tech@fltplan.com. The device information, software version, FltPlan Build Number, and Short Build Number will autopopulate in the signature block for reference/troubleshooting/diagnostics.

CURRENT USER

Touch the Current User (i.e. GARMIN) to view a pop-up window displaying the options to select another connected account, Add Account, or Logout.

ALLOW SLEEP MODE

When toggled On, the device will go into sleep mode. When toggled Off, the device will not go into sleep mode while FltPlan Go is open.

BRIGHTNESS

Adjust the slider left or right to increase or decrease screen brightness.

SUPER DIM

When toggled On, the screen brightness will automatically dim to a low setting favorable for night flight and/or batery conservation.

ALLOW GPS IN BACKGROUND

When toggled On, FltPlan Go will continue to use GPS while the app is closed. Enabling this feature is important when using the Breadcrumbs feature.

MINIMUM RUNWAY LENGTH (FT)

Touch to view a pop-up window listing runways distances in feet from 1,000 to 10,000. Select the desired minimum runway length. Once a selection has been made, FltPlan Go will only display airports with the set runway length in the Airports Page.

SHOW NOTIFICATION ALERT

When toggled On, flight plan and NavLog updates will be displayed within FltPlan Go. When toggled Off, the updates will still be received, but void of a notification.

MESSAGES FROM FLTPLAN.COM

Touch to view a pop-up window listing any notes from FltPlan.com, i.e. Compatability testing status for iOS updates, bug fixes, etc.

APP VERSION

This tab informs the user which version of the app is currently installed, in addition to the build number. This information may be helpful in troubleshooting issues.

REFRESH DATABASES

Touch the **Refresh Databases** button to see if any Airport Databases are available. If so, the new database(s) will start to download.

LOCK SCREEN

Touch the **Lock Screen** button to lock the screen. While this button is enabled, the Screen Locked message will be displayed on the top of the screen, and will reappear anytime the screen is tapped.

CLEAR CACHE

Touch the **Clear Cache** button to clear the cache on the device.

TURN OFF MAP LAYERS

Touch the **Turn Off Map Layers** button to disable all layers selected on the Maps Page.

UNREGISTER FROM NOTIFICATIONS

Touch the **Unregister From Notifications** button to remove the current device from receiving push notifications.

Blank Page

INDEX

INDEX

A

ADS-B 27, 29, 33, 76, 77, 97, 98
A/FD 6, 8, 81, 83, 154
AHRS 40, 81
Aircraft 3, 6, 18, 32, 35, 36, 38, 78, 94, 98, 100, 119, 120, 122, 126, 131, 132
AirDrop 10, 42, 86, 115
Airport Diagram 8, 16, 17, 18, 19, 20, 21, 26
Airport of Entry 23
Alaska 69, 70, 74
Annotate 17, 20, 21, 33, 43, 87, 93, 145
Approach 31, 61, 63
ASOS 24
ATIS 24, 144
AvGas 47
AWOS 24, 92

B

Breadcrumbs 18, 34, 36, 37, 41, 76, 98, 99, 157

C

Calculator 8, 12, 13, 134, 135, 136, 140, 141
Canada 11, 45, 46, 69, 70, 148, 151
CAP 45, 48, 151
Caribbean 148, 151
Chart 17, 18, 132, 133, 144, 150, 152
CSV 65
CTAF 24, 92
Customs 31, 45, 50

D

Device 4, 6, 9, 14, 21, 33, 36, 37, 42, 65, 76, 77, 83, 87, 95, 96, 97, 98, 99, 101, 115, 131, 136, 156, 157, 158
Documents 4, 6, 37, 111, 112, 113, 114, 115, 146, 153

E

EMAS 31
Enable Ship 18, 34, 36, 97, 98, 99

F

FAA 6, 16, 31
Favorites 8, 9
FBO 4, 6, 7, 17, 18, 19, 22, 30, 47, 93, 155
FDC 29
Flight Simulator X 99
Frequencies 7, 16, 24, 46
Fuel 7, 23, 30, 45, 46, 47, 81, 83, 84, 85, 89, 90, 91, 92, 93, 132, 133, 134, 137, 138
Fuel Service 47

G

Garmin Pilot 41
GPS 6, 17, 18, 36, 37, 38, 77, 78, 83, 84, 96, 97, 99, 156, 157

H

Headwind 12
Helicopter 38, 45, 46, 103, 104, 148, 151
History 8
Home Menu 6, 7, 79, 96, 100, 110, 116, 119, 124, 143, 146
Howgozit 40, 81, 82, 83, 84, 85
HUD 77, 78

I

ICAO 89, 90, 91, 92
Icing 73
IFR 3, 35, 45, 46, 73, 148
Information 3, 4, 6, 8, 11, 14, 15, 16, 18, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 42, 46, 47, 49, 50, 51, 66, 67, 68, 69, 72, 73, 74, 76, 77, 80, 85, 87, 88, 89, 90, 91, 92, 94, 95, 97, 98, 99, 107, 110, 114, 117, 120, 122, 125, 130, 131, 136, 137, 157, 158

J

Jet 23, 38, 45, 46, 47, 103, 104, 137, 138, 148

K

KML 37, 65
KMZ 65

L

Lock Screen 6, 17, 21, 87, 156, 158

M

METAR 66, 67, 95
Model Output Statistics 7, 67
MOS 7, 28, 33, 67, 68, 69
MTOW 132

N

North Up 34, 36
NOTAMs 7, 29, 40, 76, 77, 81, 95, 116

P

PDC 6, 124, 130
PIC 3, 127, 132
PIREPs 27, 72, 73, 76, 95, 116
Prepare3D 99
Print 17, 21, 82, 87, 105, 106
Procedure 56, 57, 58, 59, 114

R

Radar 74, 76
Rotate Image 21
Runway Wind Calculator 8, 12, 13, 134, 141

S

ScratchPad 40
Search and Rescue 34, 36, 48
SIDs 26, 56
SIGMETs 33, 72, 73, 76, 77
Simulator 98, 99
Split Screen 6, 33, 40, 56, 57, 58, 59, 79, 80, 81, 82, 83, 84, 85, 87
Stadium 49
STARs 26, 56
SUAs 45, 46

T

Tailwind 12, 90
TFRs 45, 46, 49
Timer 17, 19, 33, 45
Time Stamp 17, 18, 87
Tool 33, 43, 44
Track Up 34, 36
Turbulence 73

U

United States 11, 46, 50, 69, 70, 76

V

VFR 3, 34, 35, 80
Visibility 28, 66, 67, 68

W

Waypoint 34, 37, 52, 53, 55, 64, 90
Weight & Balance 4, 6, 42, 87, 95, 131, 132, 133

X

XM 33, 76
X-Plane 98
X-Wind 12

Z

Zoom 21, 33, 41
Zulu 18, 67, 84, 85, 117, 119

Garmin International, Inc.
1200 East 151st Street
Olathe, Kansas 66062, U.S.A.

Garmin AT, Inc.
2345 Turner Road SE
Salem, OR 97302, U.S.A.

Garmin (Europe) Ltd.
Liberty House, Hounsdown Business Park
Southampton, Hampshire SO40 9LR U.K.

Garmin Corporation
No. 68, Zhangshu 2nd Road
Xizhi District, New Taipei City, Taiwan

Contact Garmin Product Support at
www.flygarmin.com